

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : FD 333 wipes Quick-acting disinfection
Revision date : 14.03.2023
Print date : 28.06.2023

Version (Revision) : 5.1.0 (5.0.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

FD 333 wipes Quick-acting disinfection
Unique Formula Identifier : YJYG-8K8U-P90N-2ERF

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

FD 333 wipes are suitable for wipe disinfecting of surfaces of medical devices.

Products Category [PC]

PC 0 - Other
Disinfectants

Uses advised against

None, if handled according to order.

Remark

The product is intended for professional use.

1.3 Details of the supplier of the safety data sheet

Supplier

orochemie GmbH + Co. KG

Street : Max-Planck-Straße 27

Postal code/City : 70806 Kornwestheim

Telephone : +49 7154 1308-0

Telefax : +49 7154 1308-40

Information contact : DÜRR DENTAL SE, Höpfigheimer Str. 17, 74321 Bietigheim-Bissingen, Germany
Tel: +49 7142 705-0, Fax: +49 7142 705-500, info@duerrdental.com
in Great Britain/Ireland:
DÜRR DENTAL [Products] UK Ltd., 14 Linnell Way - Telford Way Industrial Estate, Kettering Northants NN16 8PS,
United Kingdom, info@duerruk.com

1.4 Emergency telephone number

INT: +49 6132 84463 (24 h/7 d)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Flam. Sol. 1 ; H228 - Flammable solids : Category 1 ; Flammable solid.

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.

Classification procedure

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP] as well as in-house investigations.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Flame (GHS02) · Exclamation mark (GHS07)

Signal word

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : FD 333 wipes Quick-acting disinfection
Revision date : 14.03.2023
Print date : 28.06.2023

Version (Revision) : 5.1.0 (5.0.0)

Danger

Hazard statements

H228 Flammable solid.
H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear protective gloves and eye/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/container to hazardous or special waste collection point.

2.3 Other hazards

The mixture does not contain any substances that have endocrine disrupting properties. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description

FD 333 wipes contains alcohols, quaternary ammonium compounds and auxiliary agents in aqueous solution.

Hazardous ingredients

ETHANOL ; REACH No. : 01-2119457610-43 ; EC No. : 200-578-6; CAS No. : 64-17-5

Weight fraction : $\geq 60 - < 65$ %
Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319
Specific Conc. Limits : Eye Irrit. 2 ; H319: C ≥ 50 %

PROPAN-2-OL ; REACH No. : 01-2119457558-25 ; EC No. : 200-661-7; CAS No. : 67-63-0

Weight fraction : $\geq 1 - < 5$ %
Classification 1272/2008 [CLP] : Flam. Liq. 2 ; H225 Eye Irrit. 2 ; H319 STOT SE 3 ; H336

DIDECYLDIMETHYLAMMONIUM CHLORIDE ; REACH No. : 01-2119945987-15 ; EC No. : 230-525-2; CAS No. : 7173-51-5

Weight fraction : $< 0,06$ %
Classification 1272/2008 [CLP] : Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Aquatic Acute 1 ; H400 Aquatic Chronic 2 ; H411
Specific Conc. Limits : (M Acute=10)

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

In case of skin contact

Wash with plenty of water. When in doubt or if symptoms are observed, get medical advice.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

No special measures are necessary. Never give anything by mouth to an unconscious person or a person with cramps.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : FD 333 wipes Quick-acting disinfection
Revision date : 14.03.2023
Print date : 28.06.2023

Version (Revision) : 5.1.0 (5.0.0)

4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Extinguishing powder Water spray jet Water mist

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

None known.

Hazardous combustion products

None known.

5.3 Advice for firefighters

Adapt protective equipment to surrounding fire.

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Remove all sources of ignition. When using do not smoke. See protective measures under point 7 and 8.

For non-emergency personnel

Use personal protection equipment. See protective measures under point 7 and 8.

For emergency responders

Personal protection equipment

See protective measures under point 7 and 8.

6.2 Environmental precautions

No special environmental measures are necessary.

6.3 Methods and material for containment and cleaning up

For cleaning up

No special measures are necessary.

Other information

Dispose of used cloths in the household waste - do not throw them down the toilet.

6.4 Reference to other sections

None

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep/Store only in original container. Please note safety instructions and directions for use on the drum. Handle and open container with care. Keep away from sources of ignition - No smoking. Provide adequate ventilation. Do not breathe vapour/aerosol.

Protective measures

Measures to prevent fire

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : FD 333 wipes Quick-acting disinfection
Revision date : 14.03.2023
Print date : 28.06.2023

Version (Revision) : 5.1.0 (5.0.0)

Usual measures for fire prevention. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed and in a well-ventilated place.

Hints on joint storage

Store the foodstuffs separately. Do not store together with oxidizing, self-igniting substances and highly flammable solid substances. Do not store together with highly flammable substances.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

ETHANOL ; CAS No. : 64-17-5

Limit value type (country of origin) : TLV/TWA (GB)

Limit value : 1000 ppm / 1920 mg/m³

PROPAN-2-OL ; CAS No. : 67-63-0

Limit value type (country of origin) : TLV/STEL (GB)

Limit value : 500 ppm / 1250 mg/m³

Limit value type (country of origin) : TLV/TWA (GB)

Limit value : 400 ppm / 999 mg/m³

DNEL-/PNEC-values

There are no data available on the preparation itself.

DNEL/DMEL

ETHANOL ; CAS No. : 64-17-5

Limit value type : DNEL Consumer (local)

Exposure route : Inhalation

Exposure frequency : Short-term

Limit value : 950 mg/m³

Limit value type : DNEL Consumer (systemic)

Exposure route : Oral

Exposure frequency : Long-term

Limit value : 87 mg/kg

Assessment factor : 24 h

Limit value type : DNEL Consumer (systemic)

Exposure route : Dermal

Exposure frequency : Long-term

Limit value : 206 mg/kg

Assessment factor : 24 h

Limit value type : DNEL Consumer (systemic)

Exposure route : Inhalation

Exposure frequency : Long-term

Limit value : 114 mg/m³

Limit value type : DNEL worker (local)

Exposure route : Inhalation

Exposure frequency : Short-term

Limit value : 1900 mg/m³

Limit value type : DNEL worker (systemic)

Exposure route : Dermal

Exposure frequency : Long-term

Limit value : 343 mg/kg

Assessment factor : 24 h

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : FD 333 wipes Quick-acting disinfection
Revision date : 14.03.2023
Print date : 28.06.2023

Version (Revision) : 5.1.0 (5.0.0)

Limit value type : DNEL worker (systemic)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 950 mg/m³

PROPAN-2-OL ; CAS No. : 67-63-0
Limit value type : DNEL Consumer (systemic)
Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 319 mg/kg
Assessment factor : 24 h

Limit value type : DNEL Consumer (systemic)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 89 mg/m³

Limit value type : DNEL Consumer (systemic)
Exposure route : Oral
Exposure frequency : Long-term
Limit value : 26 mg/kg
Assessment factor : 24 h

Limit value type : DNEL worker (systemic)
Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 888 mg/kg
Assessment factor : 24 h

Limit value type : DNEL worker (systemic)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 500 mg/m³

DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5
Limit value type : DNEL worker (systemic)
Exposure route : Oral
Exposure frequency : Long-term
Limit value : 18,2 mg/m³

Limit value type : DNEL worker (systemic)
Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 8,6 mg/kg
Assessment factor : 24 h

Limit value type : DNEL worker (systemic)
Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 5,39 mg/m³

Limit value type : DNEL worker (systemic)
Exposure route : Inhalation
Exposure frequency : Short-term
Limit value : 5,39 mg/m³

Limit value type : DNEL worker (systemic)
Exposure route : Dermal
Exposure frequency : Long-term
Limit value : 1,55 mg/kg

Limit value type : DNEL worker (systemic)
Exposure route : Dermal
Exposure frequency : Short-term
Limit value : 1,55 mg/kg

PNEC

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : FD 333 wipes Quick-acting disinfection
Revision date : 14.03.2023
Print date : 28.06.2023

Version (Revision) : 5.1.0 (5.0.0)

ETHANOL ; CAS No. : 64-17-5

Limit value type : PNEC (Aquatic, freshwater)
Limit value : 0,96 mg/l
Limit value type : PNEC (Aquatic, marine water)
Limit value : 0,79 mg/l
Limit value type : PNEC (Industrial)
Exposure route : Soil
Limit value : 0,63 mg/kg
Limit value type : PNEC (Sediment, freshwater)
Limit value : 3,6 mg/kg
Limit value type : PNEC (Sediment, marine water)
Limit value : 2,9 mg/kg
Limit value type : PNEC (Secondary poisoning)
Limit value : 729 mg/kg
Limit value type : PNEC (Sewage treatment plant)
Limit value : 580 mg/l

PROPAN-2-OL ; CAS No. : 67-63-0

Limit value type : PNEC (Aquatic, freshwater)
Limit value : 140,9 mg/l
Limit value type : PNEC (Aquatic, marine water)
Limit value : 140,9 mg/l
Limit value type : PNEC (Industrial)
Exposure route : Soil
Limit value : 28 mg/kg
Limit value type : PNEC (Sediment, freshwater)
Limit value : 552 mg/kg
Limit value type : PNEC (Sediment, marine water)
Limit value : 552 mg/kg
Limit value type : PNEC (Secondary poisoning)
Limit value : 160 mg/kg
Limit value type : PNEC (Sewage treatment plant)
Limit value : 2251 mg/l

DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5

Limit value type : PNEC (Aquatic, freshwater)
Limit value : 0,002 mg/l
Limit value type : PNEC (Aquatic, marine water)
Limit value : 0,0002 mg/l
Limit value type : PNEC (Industrial)
Exposure route : Soil
Limit value : 1,4 mg/kg
Limit value type : PNEC (Sediment, freshwater)
Limit value : 2,82 mg/kg
Limit value type : PNEC (Sediment, marine water)
Limit value : 0,282 mg/kg
Limit value type : PNEC (Sewage treatment plant)
Limit value : 0,595 mg/l

8.2 Exposure controls

Personal protection equipment

Eye/face protection

Eye glasses with side protection EN 166

Skin protection

Hand protection

Short-term exposure (Level 2: < 30 min): disposable gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.1 mm.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : FD 333 wipes Quick-acting disinfection
Revision date : 14.03.2023
Print date : 28.06.2023

Version (Revision) : 5.1.0 (5.0.0)

Long-term exposure (Level 6: < 480 min): protective gloves to EN374 category III, e.g. nitrile rubber, material thickness 0.7 mm.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Body protection

Body protection: not required.

Respiratory protection

No special measures are necessary.

General information

Keep away from food, drink and animal feedingstuffs. Avoid contact with skin, eyes and clothes. Wash hands before breaks and after work. Separate storage of work clothes. When using do not eat, drink, smoke, sniff.

Other protection measures

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Soaking solution - wipes

Appearance : wipes

Colour : white

Odour : Alcohol

Safety characteristics

Melting point/freezing point :	(1013 hPa)		not applicable
Initial boiling point and boiling range :	(1013 hPa)		not applicable
Decomposition temperature :	(1013 hPa)		not determined
Flash point :			22 °C
Auto-ignition temperature :			425 °C
Lower explosion limit :			3,5 Vol-%
Upper explosion limit :			15 Vol-%
Vapour pressure :	(50 °C)		not determined
Density :	(20 °C)	approx.	0,88 g/cm ³
Solvent separation test :	(20 °C)		not applicable
Water solubility :	(20 °C)		not applicable
pH value :			not applicable
log P O/W :			not determined
Flow time :	(20 °C)		not applicable
Odour threshold :			not determined
Maximum VOC content (EC) :			66 Weight-%
Flammable solids :		Flammable solid.	
Oxidising solids :		Not applicable.	
Explosive properties :		Not applicable.	
Corrosive to metals :		Not corrosive to metals.	

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

None, if handled according to order.

10.2 Chemical stability

H228 - Flammable solid.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : FD 333 wipes Quick-acting disinfection
Revision date : 14.03.2023
Print date : 28.06.2023

Version (Revision) : 5.1.0 (5.0.0)

10.3 Possibility of hazardous reactions

None, if handled according to order.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Concentrate:

Acute toxicity

Based on available data, the classification criteria are not met.

Acute oral toxicity

Parameter :	LD50
Exposure route :	Oral
Species :	Rat
Effective dose :	> 2000 mg/kg
Method :	OECD 423
Parameter :	ATEmix
Exposure route :	Oral
Effective dose :	not relevant
Parameter :	ATE (DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5)
Exposure route :	Oral
Effective dose :	500 mg/kg

Practical experience/human evidence

Eye contact: irritation. The product does not have any skin irritating or sensitizing properties. There is no inhalation risk under normal application conditions.

Acute dermal toxicity

Parameter :	ATEmix
Exposure route :	Dermal
Effective dose :	not relevant
Parameter :	LD50 (ETHANOL ; CAS No. : 64-17-5)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	20 g/kg
Parameter :	LD50 (PROPAN-2-OL ; CAS No. : 67-63-0)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	12800 mg/kg
Parameter :	LD50 (PROPAN-2-OL ; CAS No. : 67-63-0)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	13900 mg/kg
Method :	OECD 402
Parameter :	LD50 (DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	3342 mg/kg

Acute inhalation toxicity

Parameter :	ATEmix
-------------	--------

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : FD 333 wipes Quick-acting disinfection
Revision date : 14.03.2023
Print date : 28.06.2023

Version (Revision) : 5.1.0 (5.0.0)

Exposure route : Inhalation (dust/mist)
Effective dose : not relevant
Parameter : LC50 (ETHANOL ; CAS No. : 64-17-5)
Exposure route : Inhalation
Species : Rat
Effective dose : 125 mg/l
Exposure time : 4 h
Method : OECD 403
Parameter : LC50 (PROPAN-2-OL ; CAS No. : 67-63-0)
Exposure route : Inhalation
Species : Mouse
Effective dose : 27,2 mg/l
Exposure time : 4 h
Parameter : LC50 (PROPAN-2-OL ; CAS No. : 67-63-0)
Exposure route : Inhalation
Species : Rat
Effective dose : > 25 mg/l
Exposure time : 6 h
Method : OECD 403
Parameter : LC50 (PROPAN-2-OL ; CAS No. : 67-63-0)
Exposure route : Inhalation
Species : Rat
Effective dose : 72,6 mg/l
Exposure time : 4 h
Parameter : LC50 (PROPAN-2-OL ; CAS No. : 67-63-0)
Exposure route : Inhalation (vapour)
Species : Rat
Effective dose : > 10000 ppm
Exposure time : 6 h
Parameter : LD50 (PROPAN-2-OL ; CAS No. : 67-63-0)
Exposure route : Inhalation (vapour)
Species : Rat
Effective dose : 47,5 mg/l

Corrosion

Rabbit skin: no irritation. Method : OECD 404. Rabbit eye: irritant. Method : OECD 405.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met. Guinea-pig: non-sensitizing. Method : OECD 406.

Repeated dose toxicity (subacute, subchronic, chronic)

Subacute oral toxicity

Parameter : NOAEL(C) (ETHANOL ; CAS No. : 64-17-5)
Exposure route : Oral
Species : Rat
Effective dose : 1730 mg/kg
Exposure time : 24 h
Method : OECD 408

Subacute inhalation toxicity

Parameter : NOAEL(C) (ETHANOL ; CAS No. : 64-17-5)
Exposure route : Inhalation
Species : Rat
Effective dose : > 20 mg/l

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : FD 333 wipes Quick-acting disinfection
Revision date : 14.03.2023
Print date : 28.06.2023

Version (Revision) : 5.1.0 (5.0.0)

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

The mixture does not contain any substances that have endocrine disrupting properties.

Additional information

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP] as well as in-house investigations.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Based on available data, the classification criteria are not met.

Acute (short-term) fish toxicity

Parameter : LC50 (ETHANOL ; CAS No. : 64-17-5)

Species : Oncorhynchus mykiss (Rainbow trout)

Evaluation parameter : Acute (short-term) fish toxicity

Effective dose : 11200 mg/l

Parameter : LC50 (ETHANOL ; CAS No. : 64-17-5)

Species : Pimephales promelas (fathead minnow)

Evaluation parameter : Acute (short-term) fish toxicity

Effective dose : > 15000 mg/l

Exposure time : 96 h

Chronic (long-term) fish toxicity

Parameter : NOEC (ETHANOL ; CAS No. : 64-17-5)

Species : Ceriodaphnia spec

Evaluation parameter : Acute (short-term) daphnia toxicity

Effective dose : 9,6 mg/l

Acute (short-term) toxicity to crustacea

Parameter : EC50 (ETHANOL ; CAS No. : 64-17-5)

Species : Daphnia magna (Big water flea)

Evaluation parameter : Acute (short-term) daphnia toxicity

Effective dose : 9200 - 14300 mg/l

Exposure time : 48 h

Parameter : EC50 (ETHANOL ; CAS No. : 64-17-5)

Species : Ceriodaphnia spec

Evaluation parameter : Acute (short-term) daphnia toxicity

Effective dose : 1806 mg/l

Chronic (long-term) toxicity to aquatic invertebrate

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : FD 333 wipes Quick-acting disinfection
Revision date : 14.03.2023
Print date : 28.06.2023

Version (Revision) : 5.1.0 (5.0.0)

Parameter : NOEC (DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Chronic (long-term) daphnia toxicity
Effective dose : 0,014 mg/l
Exposure time : 504 h
Method : OECD 211
Parameter : NOEC (DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5)
Species : Daphnia magna (Big water flea)
Evaluation parameter : Chronic (long-term) daphnia toxicity
Effective dose : > 0,01 - 0,1 mg/l
Method : OECD 211

Acute (short-term) toxicity to algae and cyanobacteria

Parameter : EC50 (ETHANOL ; CAS No. : 64-17-5)
Species : Chlorella vulgaris
Evaluation parameter : Acute (short-term) algae toxicity
Effective dose : 275 mg/l
Parameter : EC50 (ETHANOL ; CAS No. : 64-17-5)
Species : Selenastrum capricornutum
Evaluation parameter : Acute (short-term) algae toxicity
Effective dose : 440 mg/l
Parameter : IC50 (ETHANOL ; CAS No. : 64-17-5)
Species : Scenedesmus subspicatus
Evaluation parameter : Acute (short-term) algae toxicity
Effective dose : > 100 mg/l
Parameter : ErC50 (ETHANOL ; CAS No. : 64-17-5)
Species : Pseudokirchneriella subcapitata
Evaluation parameter : Acute (short-term) algae toxicity
Effective dose : > 4800 mg/l
Exposure time : 72 h
Method : OECD 201

Chronic (long-term) toxicity to aquatic algae and cyanobacteria

Parameter : NOEC (DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5)
Species : Pseudokirchneriella subcapitata
Evaluation parameter : Chronic (long-term) algae toxicity
Effective dose : > 0,01 - 0,1 mg/l
Exposure time : 72 h
Method : OECD 201

Toxicity to microorganisms

Parameter : EC50 (PROPAN-2-OL ; CAS No. : 67-63-0)
Evaluation parameter : Bacteria toxicity
Effective dose : > 100 mg/l
Parameter : EC10 (PROPAN-2-OL ; CAS No. : 67-63-0)
Species : Pseudomonas putida
Evaluation parameter : Bacteria toxicity
Effective dose : 5175 mg/l
Exposure time : 18 h
Parameter : EC50 (DIDECYLDIMETHYLAMMONIUM CHLORIDE ; CAS No. : 7173-51-5)
Evaluation parameter : Bacteria toxicity
Effective dose : 11 mg/l
Exposure time : 3 h
Method : OECD 209

Sewage treatment plant

Parameter : EC50 (ETHANOL ; CAS No. : 64-17-5)
Inoculum : Effects in sewage plants
Effective dose : 5800 mg/l

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : FD 333 wipes Quick-acting disinfection
Revision date : 14.03.2023
Print date : 28.06.2023

Version (Revision) : 5.1.0 (5.0.0)

Exposure time : 4 h

12.2 Persistence and degradability

Abiotic degradation

No data available.

Biodegradation

Parameter : Biodegradation (PROPAN-2-OL ; CAS No. : 67-63-0)
Inoculum : Degree of elimination
Evaluation parameter : Aerobic
Degradation rate : > 95 %
Method : OECD 301E

All active agents are biodegradable at the dilution rates arising in the sewage system. Dispose of used cloths in the household waste - do not throw them down the toilet.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Distribution

Wipes: No data available

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

The mixture does not contain any substances that have endocrine disrupting properties.

12.7 Other adverse effects

No information available.

12.8 Additional ecotoxicological information

Do not allow to enter into surface water or drains. Dispose of used cloths in the household waste - do not throw them down the toilet.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Directive 2008/98/EC (Waste Framework Directive)

After intended use

Disposal operations

Dispose according to legislation. Dispose of used cloths in the household waste - do not throw them down the toilet. Consult the appropriate local waste disposal expert about waste disposal.

Recovery operations

Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

UN 3175

14.2 UN proper shipping name

Land transport (ADR/RID)

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (contains ETHANOL)

Sea transport (IMDG)

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (contains ETHANOL)

Air transport (ICAO-TI / IATA-DGR)

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (contains ETHANOL)

14.3 Transport hazard class(es)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : FD 333 wipes Quick-acting disinfection
Revision date : 14.03.2023
Print date : 28.06.2023

Version (Revision) : 5.1.0 (5.0.0)

Land transport (ADR/RID)

Class(es) : 4.1
Classification code : F1
Hazard identification number (Kemler No.) : 40
Tunnel restriction code : E
Special Provisions : LQ 1 kg · E 2
Hazard label(s) : 4.1

Sea transport (IMDG)

Class(es) : 4.1
EmS-No. : F-A / S-I
Special Provisions : LQ 1 kg · E 2
Hazard label(s) : 4.1

Air transport (ICAO-TI / IATA-DGR)

Class(es) : 4.1
Special Provisions : E 2
Hazard label(s) : 4.1

14.4 Packing group

II

14.5 Environmental hazards

Land transport (ADR/RID) : No
Sea transport (IMDG) : No
Air transport (ICAO-TI / IATA-DGR) : No

14.6 Special precautions for user

None

14.7 Maritime transport in bulk according to IMO instruments

No

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations and/or restrictions on use

Restrictions on use

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no. : 3, 40, 75

National regulations

Restrictions of occupation

According to directive 94/33/EC, juveniles are only allowed to handle this product as long as all effects of dangerous substances are prevented.

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Indication of changes

15. Restrictions on use

16.2 Abbreviations and acronyms

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimates

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : FD 333 wipes Quick-acting disinfection
Revision date : 14.03.2023
Print date : 28.06.2023

Version (Revision) : 5.1.0 (5.0.0)

CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CMR = Carcinogen, Mutagen or Reproductive toxicant
CO₂ = Carbon dioxide
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EC = European Commission
EC50 = Half maximal effective concentration
EN = European Standard (Norm)
EU = European Union
EUH statement = CLP-specific Hazard statement
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
H statement = GHS Hazard statement
IATA = International Air Transport Association ICAO-TI = International Civil Aviation Organization-Technical Instructions
IMDG = International Maritime Dangerous Goods
LC50 = Median lethal concentration
LD50 = Median lethal dose
LogPow = Logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
NOEC/NOEL = No observed effect concentration/level
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006]
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RMM = Risk Management Measure
RRN = REACH Registration Number
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
SVHC = Substances of Very High Concern
TLV/STEL = Threshold limit value/short-term exposure limit
TLV/TWA = Threshold limit value/time weighted average
UN = United Nations
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

16.3 Key literature references and sources for data

None

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The classification was carried out according to the calculation method of Regulation No. (EC) 1272/2008 [CLP] as well as in-house investigations.

16.5 Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

Follow the instructions for use on the label.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : FD 333 wipes Quick-acting disinfection
Revision date : 14.03.2023
Print date : 28.06.2023

Version (Revision) : 5.1.0 (5.0.0)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
