

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

- **1.1 Product identifier**
- **Trade name:** *W&H Cleaning Liquid MC-1000*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use** *SU20 Health services*
- **Product category** *PC35 Washing and cleaning products (including solvent based products)*
- **Application of the substance / the mixture** *Cleaning material/ Detergent*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*PRISMAN GmbH*  
*Otto Hahn Ring 6-18*  
*D-64653 Lorsch*  
*Germany*
- **Further information obtainable from:**  
*Abteilung Produktsicherheit*  
*Alexander.Metz@prisman.de*
- **1.4 Emergency telephone number:** *++49 (0)6251 866980-0, Mo - Fr 8-18 Uhr*

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
*Flam. Liq. 3 H226 Flammable liquid and vapour.*

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
*The product is classified and labelled according to the GB CLP regulation.*
- **Hazard pictograms**



GHS02

- **Signal word** *Warning*
- **Hazard statements**  
*H226 Flammable liquid and vapour.*
- **Precautionary statements**  
*P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*  
*P233 Keep container tightly closed.*  
*P280 Wear protective gloves / eye protection.*  
*P403+P235 Store in a well-ventilated place. Keep cool.*  
*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:**  
*Cleansing agent*  
*Mixture of substances listed below with nonhazardous additions.*

- **Dangerous components:**

CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-XXXX	<i>ethanol</i>	<i>Flam. Liq. 2, H225</i>	<i>10-25%</i>
--	----------------	---------------------------	---------------

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

Trade name: **W&H Cleaning Liquid MC-1000**

(Contd. of page 1)

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Keep away from ignition sources.  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Keep receptacles tightly sealed.  
Store in cool, dry place in tightly closed receptacles.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:**  
Store away from oxidising agents.  
Store away from foodstuffs.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

Trade name: **W&H Cleaning Liquid MC-1000**

(Contd. of page 2)

- **Further information about storage conditions:**  
Keep container tightly sealed.
- 
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### · 8.1 Control parameters

#### · **Ingredients with limit values that require monitoring at the workplace:**

##### **64-17-5 ethanol**

WEL Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

- **Additional information:** The lists valid during the making were used as basis.

### · 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**

Rubber gloves

#### · **For the permanent contact gloves made of the following materials are suitable:** Neoprene gloves

#### · **As protection from splashes gloves made of the following materials are suitable:**

Nitrile rubber, NBR

Butyl rubber, BR

Natural rubber, NR

#### · **Eye/face protection**



Tightly sealed goggles

GB

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

Trade name: *W&H Cleaning Liquid MC-1000*

(Contd. of page 3)

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

· Physical state	Fluid
· Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	79 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	38 °C
· Decomposition temperature:	Not determined.
· pH at 20 °C	7.6
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	0.97 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.

#### · 9.2 Other information

· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Solvent content:	
· Organic solvents:	20.0 %
· Water:	79.7 %
· VOC (EC)	20 %
· Solids content:	0.0 %
· Change in condition	
· Evaporation rate	Not determined.

#### · Information with regard to physical hazard classes

· Explosives	Void
	Void
· Flammable gases	Void
	Void
· Aerosols	Void
	Void
· Oxidising gases	Void
	Void
· Gases under pressure	Void
	Void

(Contd. on page 5)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

Trade name: **W&H Cleaning Liquid MC-1000**

(Contd. of page 4)

· <b>Flammable liquids</b>	Flammable liquid and vapour. Void
· <b>Flammable solids</b>	Void Void
· <b>Self-reactive substances and mixtures</b>	Void Void
· <b>Pyrophoric liquids</b>	Void Void
· <b>Pyrophoric solids</b>	Void Void
· <b>Self-heating substances and mixtures</b>	Void Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void Void
· <b>Oxidising liquids</b>	Void Void
· <b>Oxidising solids</b>	Void Void
· <b>Organic peroxides</b>	Void Void
· <b>Corrosive to metals</b>	Void Void
· <b>Desensitised explosives</b>	Void Void

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** Stable at environment temperature.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

GB

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

Trade name: **W&H Cleaning Liquid MC-1000**

(Contd. of page 5)

**SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN number or ID number</b></li> <li>· <b>ADR, ADN, IMDG, IATA</b></li> </ul>                                    | Void  |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR</b></li> <li>· <b>ADN, IATA</b></li> <li>· <b>IMDG</b></li> </ul> | Not regulated. Special provision 144<br>Aqueous solution containing not more than 24% alcohol by volume.<br>Void<br>Not regulated. Special provision 144.<br>Aqueous solutions containing 24 % or less alcohol by volume.<br>Void |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR, ADN, IMDG, IATA</b></li> <li>· <b>Class</b></li> </ul>        | Void  |
| <ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>  | Void  |
| <ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>                                       | No  |

(Contd. on page 7)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

Trade name: **W&H Cleaning Liquid MC-1000**

(Contd. of page 6)

- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**  
GHS label elements  
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS02

- **Signal word** Warning
- **Hazard statements**  
H226 Flammable liquid and vapour.
- **Precautionary statements**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P280 Wear protective gloves / eye protection.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Directive 2012/18/EU**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5.000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50.000 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Customs tariff No.: 3402 20 90

- **Relevant phrases**  
H225 Highly flammable liquid and vapour.
- **Recommended restriction of use** Product only for professional use
- **Department issuing SDS:** Abteilung Produktsicherheit
- **Contact:** Hr. Dr. Metz
- **Abbreviations and acronyms:**  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 2: Flammable liquids – Category 2  
Flam. Liq. 3: Flammable liquids – Category 3
- **\* Data compared to the previous version altered.**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : W & H Service Oil F1 MD 500 STANDARD

Article-No. : 028119

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Lubricating oil

Recommended restrictions on use : Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München GmbH & Co. KG  
Geisenhausenerstr. 7  
81379 München  
Deutschland  
Tel.: +49 (0) 89 7876 0  
Fax: +49 (0) 89 7876 333  
info@klueber.com

E-mail address of person responsible for the SDS : mcm@klueber.com

National contact : Klüber Lubrication Great Britain Limited  
Unit 10 Pennine Business Park  
Longbow Close  
Huddersfield  
West Yorkshire HD2 1GQ  
Great Britain  
Tel: +44-1422-205115  
Fax: +44-1422-206073  
sales@uk.klueber.com

#### 1.4 Emergency telephone number

Emergency telephone number : +49 89 7876 700 (24 hrs)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil ester oil

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Dec-1-ene, dimers, hydrogenated	68649-11-6 500-228-5	Acute Tox. 4; H332 Asp. Tox. 1; H304		>= 1 - < 10

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version 3.0      Revision Date: 21.11.2025      Date of last issue: 03.09.2025      Print Date: 21.11.2025  
Date of first issue: 20.12.2012

2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	M-Factor: 1/1	$\geq 0.1 - < 0.25$
O,O,O-triphenyl phosphorothioate	597-82-0 209-909-9	Aquatic Chronic 1; H410	M-Factor: /10	$\geq 0.025 - < 0.1$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
In case of contact, immediately flush skin with plenty of water.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No symptoms known or expected.

### 4.3 Indication of any immediate medical attention and special treatment needed

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

local / national regulations (see section 13).

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Avoid inhalation of vapour or mist.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not ingest.  
Do not repack.  
Do not re-use empty containers.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

### 7.3 Specific end use(s)

- Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2,6-di-tert-butyl-p-cresol	128-37-0	TWA	10 mg/m <sup>3</sup>	GB EH40 (2005-04-06)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB

**KLÜBER**  
LUBRICATION

## W & H Service Oil F1 MD 500 STANDARD

Version 3.0      Revision Date: 21.11.2025      Date of last issue: 03.09.2025      Print Date: 21.11.2025  
Date of first issue: 20.12.2012

### Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
Dec-1-ene, dimers, hydrogenated	Industrial use	Inhalation	Acute systemic effects	60 mg/m <sup>3</sup>
2,6-di-tert-butyl-p-cresol	Workers	Inhalation	Long-term systemic effects	1.76 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	0.5 mg/kg
O,O,O-triphenyl phosphorothioate	Workers	Inhalation	Long-term systemic effects	1.39 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	0.4 mg/kg

### Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
2,6-di-tert-butyl-p-cresol	Fresh water	0.199 µg/l
	Marine water	0.02 µg/l
	Intermittent use/release	1.99 µg/l
	Microbiological Activity in Sewage Treatment Systems	0.017 mg/l
	Fresh water sediment	0.458 mg/kg
	Marine sediment	0.046 mg/kg
	Soil	0.054 mg/kg
O,O,O-triphenyl phosphorothioate	Fresh water	0.00017 mg/l
	Marine water	0.000017 mg/l
	Fresh water sediment	3.47 mg/kg
	Marine sediment	0.347 mg/kg
	Soil	2.46 mg/kg

## 8.2 Exposure controls

### Engineering measures

none

### Personal protective equipment

Eye/face protection : Safety glasses with side-shields

#### Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Environmental exposure controls

Air :  
Should not be released into the environment.  
Exhaust air must be cleaned using approved equipment before returning it to the work place.

Soil :  
Do not allow contact with soil, surface or ground water.  
The product should not be allowed to enter drains, water courses or the soil.

Water :  
Do not allow contact with soil, surface or ground water.  
The product should not be allowed to enter drains, water courses or the soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance

Physical state : liquid

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

**The data/values refer to the main component:**

pH : Not applicable

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB

**KLÜBER**  
LUBRICATION

## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

Melting point/ range : No data available

Boiling point/boiling range : No data available

Flash point : > 200 °C  
Method: ISO 2592, open cup

Evaporation rate : No data available

Flammability : Flammability (solid, gas):  
Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 0.17 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0.843 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0.84 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : 22 mm<sup>2</sup>/s (40 °C)

Explosive properties : Not explosive

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB

**KLÜBER**  
LUBRICATION

## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

Oxidizing properties : No data available

### 9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Remarks: This information is not available.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB

**KLÜBER**  
LUBRICATION

## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

### Components:

#### **Dec-1-ene, dimers, hydrogenated:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): 1.17 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **2,6-di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 402

#### **O,O,O-triphenyl phosphorothioate:**

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: No mortality observed at this dose.

### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

### Product:

Remarks : This information is not available.

### Components:

#### **Dec-1-ene, dimers, hydrogenated:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB

**KLÜBER**  
LUBRICATION

## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

Result : No skin irritation

### 2,6-di-tert-butyl-p-cresol:

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

### O,O,O-triphenyl phosphorothioate:

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Product:

Remarks : This information is not available.

#### Components:

##### Dec-1-ene, dimers, hydrogenated:

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation

##### 2,6-di-tert-butyl-p-cresol:

Species : Rabbit  
Assessment : No eye irritation  
Method : Draize Test  
Result : No eye irritation

##### O,O,O-triphenyl phosphorothioate:

Species : Rabbit  
Assessment : No eye irritation  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Product:

Remarks : This information is not available.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

### Components:

#### **Dec-1-ene, dimers, hydrogenated:**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

#### **2,6-di-tert-butyl-p-cresol:**

Species : Humans  
Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

#### **O,O,O-triphenyl phosphorothioate:**

Assessment : Does not cause skin sensitisation.

#### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

### Components:

#### **2,6-di-tert-butyl-p-cresol:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative  
Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Result: negative

Germ cell mutagenicity-  
Assessment : Tests on bacterial or mammalian cell cultures did not show  
mutagenic effects.

#### **O,O,O-triphenyl phosphorothioate:**

Germ cell mutagenicity-  
Assessment : Animal testing did not show any mutagenic effects.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB

**KLÜBER**  
LUBRICATION

## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Product:

Remarks : No data available

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### Components:

#### **2,6-di-tert-butyl-p-cresol:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

#### **O,O,O-triphenyl phosphorothioate:**

Reproductive toxicity - Assessment : - Fertility -  
Animal testing did not show any effects on fertility.

### STOT - single exposure

Based on available data, the classification criteria are not met.

#### Product:

Remarks : No data available

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Product:

Remarks : No data available

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

### Aspiration toxicity

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

### Product:

This information is not available.

### Components:

#### **Dec-1-ene, dimers, hydrogenated:**

May be fatal if swallowed and enters airways.

#### **2,6-di-tert-butyl-p-cresol:**

No aspiration toxicity classification

### **Further information**

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### Components:

#### **Dec-1-ene, dimers, hydrogenated:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB

**KLÜBER**  
LUBRICATION

## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): > 1,000 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 125 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
GLP: yes

### 2,6-di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.57 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.61 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 0.4 mg/l  
Exposure time: 72 h  
Method: Regulation (EC) No. 440/2008, Annex, C.3

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.316 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

### O,O,O-triphenyl phosphorothioate:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0.0017 mg/l  
Exposure time: 97 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Test Type: flow-through test  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.00724 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **Dec-1-ene, dimers, hydrogenated:**

Biodegradability : Result: Not rapidly biodegradable

##### **2,6-di-tert-butyl-p-cresol:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 4.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

##### **O,O,O-triphenyl phosphorothioate:**

Biodegradability : Result: Not rapidly biodegradable

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available

#### Components:

##### **Dec-1-ene, dimers, hydrogenated:**

Partition coefficient: n-  
octanol/water : log Pow: 9

##### **2,6-di-tert-butyl-p-cresol:**

Bioaccumulation : Bioconcentration factor (BCF): 598.4

Partition coefficient: n-  
octanol/water : log Pow: 5.1

##### **O,O,O-triphenyl phosphorothioate:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 2,551

Partition coefficient: n-  
octanol/water : log Pow: 5.1 (20 °C)

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among  
environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Components:

##### **Dec-1-ene, dimers, hydrogenated:**

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).. Substance is not very persistent and very bioaccumulative (vPvB).

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

### 2,6-di-tert-butyl-p-cresol:

Assessment : Non-classified PBT substance. Non-classified vPvB substance

### O,O,O-triphenyl phosphorothioate:

Assessment : PBT substance  
Substance is not very persistent and very bioaccumulative (vPvB).

## 12.6 Other adverse effects

### Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Additional ecological information : Harmful to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Waste codes should be assigned by the user based on the application for which the product was used.

The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : unused product  
13 02 06\*, synthetic engine, gear and lubricating oils  
  
uncleaned packagings  
15 01 10\*, packaging containing residues of or contaminated by hazardous substances

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version 3.0	Revision Date: 21.11.2025	Date of last issue: 03.09.2025 Date of first issue: 20.12.2012	Print Date: 21.11.2025
----------------	------------------------------	---	---------------------------

### SECTION 14: Transport information

#### 14.1 UN number

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.4 Packing group

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good

#### 14.5 Environmental hazards

ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation (UK SVHC)	:	This product does not contain substances of very high concern (UK: The REACH etc. (Amendment) Regulations, Article 57).
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) (GB POPs)	:	Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer (EC 2024/590)	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV) (UK: REACH Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation (GB PIC)	:	Not applicable
The Control of Explosives Precursors and Poisons Regulations (Poisons Act, as amended) (GB Poisons Act)	:	Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)	:	Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

livestock rearing emissions (integrated pollution prevention and control)

Volatile organic compounds (VOC) content: 6.4 %

### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

H304 : May be fatal if swallowed and enters airways.  
H332 : Harmful if inhaled.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Asp. Tox. : Aspiration hazard  
PBT : Persistent, bioaccumulative and toxic  
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits  
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB

**KLÜBER**  
LUBRICATION

## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Chronic 3

H412

#### Classification procedure:

Calculation method

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 03.09.2025	Print Date:
3.0	21.11.2025	Date of first issue: 20.12.2012	21.11.2025

---