

# AFFINIS putty soft / fast putty soft

## Coltène/Whaledent AG

Version No: 3.3

Safety data sheet according to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Issue Date: **10/09/2024**Print Date: **19/11/2024**L.REACH.GB.EN

## SECTION 1 Identification of the substance / mixture and of the company / undertaking

## 1.1. Product Identifier

Product name	AFFINIS putty soft / fast putty soft
Chemical Name	Not Applicable
Synonyms	Not Available
Chemical formula	Not Applicable
Other means of identification	Not Available

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Medical device, for dental use only Use according to manufacturer's directions.
Uses advised against	No specific uses advised against are identified.

## 1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	Coltène/Whaledent AG	
Address	Feldwiesenstrasse 20 Altstätten 9450 Switzerland	
Telephone	+41 (71) 75 75 300	
Fax	+41 (71) 75 75 301	
Website	www.coltene.com	
Email	msds@coltene.com	

## 1.4. Emergency telephone number

Association / Organisation	CHEMWATCH EMERGENCY RESPONSE (24/7)
Emergency telephone number(s)	+44 20 3901 3542
Other emergency telephone number(s)	+44 808 164 9592

Once connected and if the message is not in your preferred language then please dial 01

## **SECTION 2 Hazards identification**

## 2.1. Classification of the substance or mixture

Classified according to GB-CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 <sup>[1]</sup>	Non hazardous
Legend:	1. Classified by Chemwatch; 2. Classification drawn from GB-CLP Regulation, UK SI 2019/720 and UK SI 2020/1567

### 2.2. Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

Version No: 3.3 Page 2 of 14 Issue Date: 10/09/2024 Print Date: 19/11/2024

## AFFINIS putty soft / fast putty soft

## Hazard statement(s)

Not Applicable

## Supplementary statement(s)

**EUH210** Safety data sheet available on request.

## Precautionary statement(s) Prevention

Not Applicable

## Precautionary statement(s) Response

Not Applicable

## Precautionary statement(s) Storage

Not Applicable

## Precautionary statement(s) Disposal

Not Applicable

Material contains cristobalite, Celite.

## 2.3. Other hazards

dodecamethylcyclohexasiloxane Listed in the European Chemicals Agency (ECHA) Candidate List of Substances of Very High Concern for Authorisation	
dodecamethylcyclohexasiloxane	Listed in the Europe Regulation (EC) No 1907/2006 - Annex XVII (Restrictions may apply)
decamethylcyclopentasiloxane	Listed in the European Chemicals Agency (ECHA) Candidate List of Substances of Very High Concern for Authorisation
decamethylcyclopentasiloxane	Listed in the Europe Regulation (EC) No 1907/2006 - Annex XVII (Restrictions may apply)

## **SECTION 3 Composition / information on ingredients**

## 3.1.Substances

See 'Composition on ingredients' in Section 3.2

## 3.2.Mixtures

1. CAS No 2.EC No 3.Index No 4.REACH No	% [weight]	Name	Classified according to GB- CLP Regulation, UK SI 2019/720 and UK SI 2020/1567	SCL / M- Factor	Nanoform Particle Characteristics
1. 68855-54-9 2.272-489-0 3.Not Available 4.Not Available	15-25	Celite	Specific Target Organ Toxicity - Repeated Exposure Category 2; H373 <sup>[1]</sup>	SCL: Not Available Acute M factor: Not Available Chronic M factor: Not Available	Not Available
1. 540-97-6 2.208-762-8 3.Not Available 4.Not Available	<0.2	dodecamethylcyclohexasiloxane	Not Classified <sup>[3]</sup>	SCL: Not Available Acute M factor: 100 Chronic M factor: 10	Not Available
1. 541-02-6 2.208-764-9 3.Not Available 4.Not Available	<0.2	<u>decamethylcyclopentasiloxane</u>	Not Classified <sup>[3]</sup>	SCL: Not Available Acute M factor: 100 Chronic M factor: 10	Not Available
1. 14464-46-1 2.238-455-4 3.Not Available 4.Not Available	25-35	<u>cristobalite</u>	Specific Target Organ Toxicity - Repeated Exposure Category 2; H373 <sup>[1]</sup>	SCL: Not Available Acute M factor: Not Available Chronic M factor: Not Available	Not Available

Version No: 3.3 Page 3 of 14 Issue Date: 10/09/2024

### AFFINIS putty soft / fast putty soft

Print Date: 19/11/2024

Legend:

1. Classified by Chemwatch; 2. Classification drawn from GB-CLP Regulation, UK SI 2019/720 and UK SI 2020/1567; 3. Classification drawn from C&L; \* EU IOELVs available; [e] Substance identified as having endocrine disrupting properties

## **SECTION 4 First aid measures**

## 4.1. Description of first aid measures

Eye Contact	If this product comes in contact with eyes:  • Wash out immediately with water.  • If irritation continues, seek medical attention.  • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs:  ► Flush skin and hair with running water (and soap if available).  ► Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

## 4.2 Most important symptoms and effects, both acute and delayed

See Section 11

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5 Firefighting measures**

### 5.1. Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

## 5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
----------------------	-------------

## 5.3. Advice for firefighters

Fire Fighting	
Fire/Explosion Hazard	<ul> <li>Non combustible.</li> <li>Not considered a significant fire risk, however containers may burn.</li> </ul>

### **SECTION 6 Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

See section 8

## 6.2. Environmental precautions

See section 12

## 6.3. Methods and material for containment and cleaning up

	▶ Clean up all spills immediately.
	▶ Avoid contact with skin and eyes.
Minor Spills	<ul> <li>Wear impervious gloves and safety goggles.</li> </ul>
Minor Spills	▶ Trowel up/scrape up.
	▶ Place spilled material in clean, dry, sealed container.
	▶ Flush spill area with water.
	► Clear area of personnel and move upwind.
	<ul><li>Alert Fire Brigade and tell them location and nature of hazard.</li></ul>
	<ul><li>Control personal contact with the substance, by using protective equipment.</li></ul>
Major Spills	▶ Prevent spillage from entering drains, sewers or water courses.
	▶ Recover product wherever possible.
	▶ Put residues in labelled containers for disposal.
	▶ If contamination of drains or waterways occurs, advise emergency services.
	7 7

### 6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

Version No: 3.3 Page 4 of 14 Issue Date: 10/09/2024 Print Date: 19/11/2024

## AFFINIS putty soft / fast putty soft

**SECTION 7 Handling and storage** 

7.1. Precautions for safe h	andling
Safe handling	<ul> <li>Limit all unnecessary personal contact.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Avoid contact with incompatible materials.</li> <li>When handling, DO NOT eat, drink or smoke.</li> <li>Keep containers securely sealed when not in use.</li> <li>Avoid physical damage to containers.</li> <li>Always wash hands with soap and water after handling.</li> <li>Work clothes should be laundered separately.</li> <li>Use good occupational work practice.</li> <li>Observe manufacturer's storage and handling recommendations contained within this SDS.</li> <li>Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.</li> </ul>
Fire and explosion protection	See section 5
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>Store in a cool, dry, well-ventilated area.</li> <li>Store away from incompatible materials and foodstuff containers.</li> <li>Protect containers against physical damage and check regularly for leaks.</li> <li>Observe manufacturer's storage and handling recommendations contained within this SDS.</li> </ul>

## 7.2. Conditions for safe storage, including any incompatibilities

Suitable container	Recommended storage temperature: 15 - 23 °C  Polyethylene or polypropylene container.  Packing as recommended by manufacturer.  Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known
Hazard categories in accordance with Regulation (EC) No 2012/18/EU (Seveso III)	Not Available
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available

## 7.3. Specific end use(s)

See section 1.2

## **SECTION 8 Exposure controls / personal protection**

## 8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment	
Celite	Inhalation 0.05 mg/m³ (Systemic, Chronic) Inhalation 0.00005 mg/m³ (Systemic, Chronic) * Oral 18.7 mg/kg bw/day (Systemic, Chronic) *	100 mg/L (STP)	
dodecamethylcyclohexasiloxane	Inhalation 1.22 mg/m³ (Local, Chronic) Inhalation 6.1 mg/m³ (Local, Acute) Inhalation 0.3 mg/m³ (Local, Chronic) * Inhalation 1.5 mg/m³ (Local, Acute) *	13.5 mg/kg sediment dw (Sediment (Fresh Water)) 1.35 mg/kg sediment dw (Sediment (Marine)) 66.7 mg/kg food (Oral)	
decamethylcyclopentasiloxane	Inhalation 97.3 mg/m³ (Systemic, Chronic) Inhalation 24.2 mg/m³ (Local, Chronic) Inhalation 0.0173 mg/m³ (Systemic, Chronic) * Oral 5 mg/kg bw/day (Systemic, Chronic) * Inhalation 4.3 mg/m³ (Local, Chronic) *	0.0012 mg/L (Water (Fresh)) 0.00012 mg/L (Water (Marine)) 11 mg/kg sediment dw (Sediment (Fresh Water)) 1.1 mg/kg sediment dw (Sediment (Marine)) 2.54 mg/kg soil dw (Soil) 10 mg/L (STP) 16 mg/kg food (Oral)	

<sup>\*</sup> Values for General Population

Occupational Exposure Limits (OEL)

Version No: 3.3 Page 5 of 14 Issue Date: 10/09/2024 Print Date: 19/11/2024

## AFFINIS putty soft / fast putty soft

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
UK Workplace Exposure Limits (WELs).	Celite	Silica, amorphous: inhalable dust	6 mg/m3	Not Available	Not Available	Not Available
UK Workplace Exposure Limits (WELs).	Celite	Silica, amorphous: respirable dust	2.4 mg/m3	Not Available	Not Available	Not Available
UK Workplace Exposure Limits (WELs).	cristobalite	Silica, respirable crystalline (respirable fraction)	0.1 mg/m3	Not Available	Not Available	Carc (where generated as a result of a work process)

Ingredient	Original IDLH	Revised IDLH
Celite	Not Available	Not Available
dodecamethylcyclohexasiloxane	Not Available	Not Available
decamethylcyclopentasiloxane	Not Available	Not Available
cristobalite	Not Available	Not Available

### Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit	
decamethylcyclopentasiloxane	E	≤ 0.1 ppm	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.		

### MATERIAL DATA

### 8.2. Exposure controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure.

General exhaust is adequate under normal operating conditions. If risk of overexposure exists, wear SAA approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.

Type of Contaminant:	Air Speed:
solvent, vapours, degreasing etc., evaporating from tank (in still air)	0.25-0.5 m/s (50- 100 f/min)
aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation)	0.5-1 m/s (100- 200 f/min.)
direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)	1-2.5 m/s (200- 500 f/min)
grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion).	2.5-10 m/s (500- 2000 f/min.)

### 8.2.1. Appropriate engineering controls

Within each range the appropriate value depends on:

Lower end of the range	Upper end of the range
1: Room air currents minimal or favourable to capture	1: Disturbing room air currents
2: Contaminants of low toxicity or of nuisance value only	2: Contaminants of high toxicity
3: Intermittent, low production.	3: High production, heavy use
4: Large hood or large air mass in motion	4: Small hood - local control only

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min.) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

Version No: 3.3 Page 6 of 14 Issue Date: 10/09/2024

AFFINIS mutture of 1/ foot mutture of 1/

### AFFINIS putty soft / fast putty soft

8.2.2. Individual protection measures, such as personal protective equipment Safety glasses with side shields Chemical goggles. ▶ Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Eye and face protection Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eve redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] Skin protection See Hand protection below Hands/feet protection Wear general protective gloves, eg. light weight rubber gloves. **Body protection** See Other protection below No special equipment needed when handling small quantities. OTHERWISE: Other protection Overalls. Barrier cream. Eyewash unit.

### 8.2.3. Environmental exposure controls

See section 12

## **SECTION 9 Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties **Appearance** Brown Relative density (Water = Physical state Free-flowing Paste Not Available Partition coefficient n-Odour Not Available Not Available octanol / water Auto-ignition temperature Odour threshold Not Available Not Available Decomposition Not Available Not Available pH (as supplied) temperature (°C) Melting point / freezing Not Available Viscosity (cSt) Not Available point (°C) Initial boiling point and Not Available Molecular weight (g/mol) Not Available boiling range (°C) Not Available Not Available Flash point (°C) Taste Evaporation rate Not Available **Explosive properties** Not Available Flammability Not Available **Oxidising properties** Not Available Surface Tension (dyn/cm **Upper Explosive Limit (%)** Not Available Not Available or mN/m) Lower Explosive Limit (%) Not Available Volatile Component (%vol) Not Available Vapour pressure (kPa) Not Available Gas group Not Available Solubility in water pH as a solution (1%) Immiscible Not Available Vapour density (Air = 1) Not Available VOC g/L Not Available Heat of Combustion (kJ/g) Not Available Ignition Distance (cm) Not Available Not Available Flame Height (cm) Not Available Flame Duration (s) **Enclosed Space Ignition Enclosed Space Ignition** Not Available **Deflagration Density** Not Available Time Equivalent (s/m3) (a/m3)**Nanoform Particle** Nanoform Solubility Not Available Not Available Characteristics Particle Size Not Available

### 9.2. Other information

Version No: 3.3 Page 7 of 14 Issue Date: 10/09/2024
Print Date: 19/11/2024

### AFFINIS putty soft / fast putty soft

**SECTION 10 Stability and reactivity** 

10.1.Reactivity	See section 7.2
10.2. Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

## **SECTION 11 Toxicological information**

## 11.1. Information on toxicological effects

	-
Inhaled	
Ingestion	
Skin Contact	
Eye	
Chronic	

AFFINIS putty soft / fast putty	TOXICITY	IRRITATION
soft	Not Available	Not Available
	TOXICITY	IRRITATION
Celite	Inhalation (Rat) LC50: >2.6 mg/l4h <sup>[1]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup>
	Oral (Rat) LD50: >2000 mg/kg <sup>[1]</sup>	Skin: no adverse effect observed (not irritating) $^{[1]}$
	TOXICITY	IRRITATION
	dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup>
odecamethylcyclohexasiloxane	Oral (Rat) LD50: >2000 mg/kg <sup>[1]</sup>	Skin: adverse effect observed (irritating) <sup>[1]</sup>
		Skin: no adverse effect observed (not irritating) $\[ \begin{bmatrix} 1 \\ \end{bmatrix} \]$
	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: >15248 mg/kg <sup>[2]</sup>	Eye (Rodent - rabbit): 500mg/24H - Mild
	Inhalation (Rat) LC50: 8.67 mg/l4h <sup>[1]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup>
decamethylcyclopentasiloxane	Oral (Rat) LD50: >5000 mg/kg <sup>[1]</sup>	Skin (Rodent - rabbit): 500mg/24H - Mild
		Skin: adverse effect observed (irritating) <sup>[1]</sup>
		Skin: no adverse effect observed (not irritating) $^{[1]}$
autatat - Itt	TOXICITY	IRRITATION
cristobalite	Not Available	Not Available

Legend:

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

### Celite

For silica amorphous:

Derived No Adverse Effects Level (NOAEL) in the range of 1000 mg/kg/d.

In humans, synthetic amorphous silica (SAS) is essentially non-toxic by mouth, skin or eyes, and by inhalation. Epidemiology studies show little evidence of adverse health effects due to SAS. Repeated exposure (without personal protection) may cause mechanical irritation of the eye and drying/cracking of the skin.

When experimental animals inhale synthetic amorphous silica (SAS) dust, it dissolves in the lung fluid and is rapidly eliminated. If swallowed, the vast majority of SAS is excreted in the faeces and there is little accumulation in the body. Following absorption across the gut, SAS is eliminated via urine without modification in animals and humans. SAS is not expected to be broken down (metabolised) in mammals.

After ingestion, there is limited accumulation of SAS in body tissues and rapid elimination occurs. Intestinal absorption has not been calculated, but appears to be insignificant in animals and humans. SASs injected subcutaneously are subjected to rapid dissolution and removal. There is no indication of metabolism of SAS in animals or humans based on chemical structure and available data. In contrast to crystalline silica, SAS is soluble in physiological media and the soluble chemical species that are formed are eliminated via the urinary

Version No: 3.3 Page 8 of 14 Issue Date: 10/09/2024

### AFFINIS putty soft / fast putty soft

Print Date: 19/11/2024

tract without modification.

Both the mammalian and environmental toxicology of SASs are significantly influenced by the physical and chemical properties, particularly those of solubility and particle size. SAS has no acute intrinsic toxicity by inhalation. Adverse effects, including suffocation, that have been reported were caused by the presence of high numbers of respirable particles generated to meet the required test atmosphere. These results are not representative of exposure to commercial SASs and should not be used for human risk assessment. Though repeated exposure of the skin may cause dryness and cracking, SAS is not a skin or eye irritant, and it is not a sensitiser

Repeated-dose and chronic toxicity studies confirm the absence of toxicity when SAS is swallowed or upon skin contact.

Long-term inhalation of SAS caused some adverse effects in animals (increases in lung inflammation, cell injury and lung collagen content), all of which subsided after exposure.

Numerous repeated-dose, subchronic and chronic inhalation toxicity studies have been conducted with SAS in a number of species, at airborne concentrations ranging from 0.5 mg/m3 to 150 mg/m3. Lowest-observed adverse effect levels (LOAELs) were typically in the range of 1 to 50 mg/m3. When available, the no-observed adverse effect levels (NOAELs) were between 0.5 and 10 mg/m3. The difference in values may be explained by different particle size, and therefore the number of particles administered per unit dose. In general, as particle size decreases so does the NOAEL/LOAEL.

Neither inhalation nor oral administration caused neoplasms (tumours). SAS is not mutagenic in vitro. No genotoxicity was detected in in vivo assays. SAS does not impair development of the foetus. Fertility was not specifically studied, but the reproductive organs in long-term studies were not affected.

For Synthetic Amorphous Silica (SAS)

Repeated dose toxicity

Oral (rat), 2 weeks to 6 months, no significant treatment-related adverse effects at doses of up to 8% silica in the diet.

Inhalation (rat), 13 weeks, Lowest Observed Effect Level (LOEL) =1.3 mg/m3 based on mild reversible effects in the lungs. Inhalation (rat), 90 days, LOEL = 1 mg/m3 based on reversible effects in the lungs and effects in the nasal cavity.

For silane treated synthetic amorphous silica:

Repeated dose toxicity: oral (rat), 28-d, diet, no significant treatment-related adverse effects at the doses tested. There is no evidence of cancer or other long-term respiratory health effects (for example, silicosis) in workers employed in the manufacture of SAS. Respiratory symptoms in SAS workers have been shown to correlate with smoking but not with SAS exposure, while serial pulmonary function values and chest radiographs are not adversely affected by long-term exposure to SAS.

### **DODECAMETHYLCYCLOHEXASILOXANE**

No significant acute toxicological data identified in literature search.

Liver changes, spleen changes recorded. Carcinogenicity: Animal testing showed no carcinogenic effects. Genotoxicity in vitro: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on test data Genotoxicity in vivo: Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat Application Route: inhalation (vapor) Result: negative Remarks: Based on test data Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effect. Effects on fertility : Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Inhalation Symptoms: No effects on fertility. Remarks: Based on test data Effects on fetal development: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Inhalation Symptoms: No effects on fetal development. Remarks: Based on test data Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments Routes of exposure: Assessment: No significant health effects observed in animals at concentrations of 200 mg/kg bw or less. Routes of exposure: Ingestion Assessment: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less. Routes of exposure: inhalation (vapor) Assessment: No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less. Results from a 2 year repeated vapour inhalation exposure study to rats of decamethylcyclopentasiloxane (D5) indicate effects (uterine endometrial tumours) in female animals. This finding occurred at the highest exposure dose (160 ppm) only. Studies to date have not demonstrated if this effect occurs through a pathway that is relevant to humans

## DECAMETHYLCYCLOPENTASILOXANE

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. On the other hand, industrial bronchitis is a disorder that occurs as a result of exposure due to high concentrations of irritating substance (often particles) and is completely reversible after exposure ceases. The disorder is characterized by difficulty breathing, cough and mucus production.

The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling epidermis. Histologically there may be intercellular oedema of the spongy layer (spongiosis) and intracellular oedema of the epidermis.

### cristobalite

Inhalation (human) TCLo: 16 mppcf\*/8H/17.9y-I \* Millions of particles per cubic foot **WARNING:** For inhalation exposure <u>ONLY</u>: This substance has been classified by the IARC as Group 1: **CARCINOGENIC TO HUMANS** 

The International Agency for Research on Cancer (IARC) has classified occupational exposures to **respirable** (<5 um) crystalline silica as being carcinogenic to humans. This classification is based on what IARC considered

Version No: 3.3 Page 9 of 14 Issue Date: 10/09/2024
Print Date: 19/11/2024

## AFFINIS putty soft / fast putty soft

sufficient evidence from epidemiological studies of humans for the carcinogenicity of inhaled silica in the forms of quartz and cristobalite. Crystalline silica is also known to cause silicosis, a non-cancerous lung disease. Intermittent exposure produces; focal fibrosis, (pneumoconiosis), cough, dyspnoea, liver tumours.

\* Millions of particles per cubic foot (based on impinger samples counted by light field techniques).

NOTE: the physical nature of quartz in the product determines whether it is likely to present a chronic health problem. To be a hazard the material must enter the breathing zone as respirable particles.

Acute Toxicity	X Carcinogenicity	×
Skin Irritation/Corrosion	X Reproductivity	×
Serious Eye Damage/Irritation	X STOT - Single Exposure	×
Respiratory or Skin sensitisation	X STOT - Repeated Exposure	×
Mutagenicity	X Aspiration Hazard	×

Legend: X − Data either not available or does not fill the criteria for classification

✓ − Data available to make classification

### 11.2 Information on other hazards

### 11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

### 11.2.2. Other information

See Section 11.1

## **SECTION 12 Ecological information**

## 12.1. Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
AFFINIS putty soft / fast putty soft	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
Celite	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
dodecamethylcyclohexasiloxane	EC50	72h	Algae or other aquatic plants	>0.002mg/L	2
	NOEC(ECx)	72h	Algae or other aquatic plants	>=0.002mg/L	2
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	96h	Algae or other aquatic plants	>0.012mg/L	2
decamethylcyclopentasiloxane	EC50	48h	Crustacea	>0.003mg/L	2
	NOEC(ECx)	48h	Crustacea	>=0.003mg/L	2
	LC50	96h	Fish	>0.016mg/L	2
	Endpoint	Test Duration (hr)	Species	Value	Source
cristobalite	Not Available	Not Available	Not Available	Not Available	Not Available

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

## 12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
dodecamethylcyclohexasiloxane	HIGH	HIGH
decamethylcyclopentasiloxane	HIGH	HIGH

## 12.3. Bioaccumulative potential

Version No: 3.3 Page 10 of 14 Issue Date: 10/09/2024 Print Date: 19/11/2024

## AFFINIS putty soft / fast putty soft

Ingredient	Bioaccumulation	
dodecamethylcyclohexasiloxane	HIGH (LogKOW = 6.3286)	
decamethylcyclopentasiloxane	HIGH (LogKOW = 5.2)	

## 12.4. Mobility in soil

Ingredient	Mobility	
dodecamethylcyclohexasiloxane	LOW (Log KOC = 1174000)	
decamethylcyclopentasiloxane	LOW (Log KOC = 145200)	

## 12.5. Results of PBT and vPvB assessment

	P	В	Т
Relevant available data	Not Available	Not Available	Not Available
PBT	×	×	×
vPvB	×	×	×
DDT 0 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
PBT Criteria fulfilled?	No		
vPvB	No		

## 12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

### 12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

## **SECTION 13 Disposal considerations**

## 13.1. Waste treatment methods

Product / Packaging disposal	Dispose of waste according to applicable legislation. Special country-specific regulations may apply. Can be disposed together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge. (Only dispose of completely emptied packages.)
Waste treatment options	Not Available
Sewage disposal options	Not Available

## **SECTION 14 Transport information**

## **Labels Required**

Marine Pollutant	NO
HAZCHEM	Not Applicable

## Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number or ID number	Not Applicable					
14.2. UN proper shipping name	Not Applicable	Not Applicable				
14.3. Transport hazard	Class	Not Appli	cable			
class(es)	Subsidiary Hazard	Subsidiary Hazard Not Applicable				
14.4. Packing group	Not Applicable					
14.5. Environmental hazard	Not Applicable					
	Hazard identification	(Kemler)	Not Applicable			
14.6. Special precautions for user	Classification code		Not Applicable			
	Hazard Label		Not Applicable			
	Special provisions		Not Applicable			
	Limited quantity		Not Applicable			
	Tunnel Restriction Co	ode	Not Applicable			

Version No: 3.3 Page 11 of 14 Issue Date: 10/09/2024 Print Date: 19/11/2024

## AFFINIS putty soft / fast putty soft

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable			
14.2. UN proper shipping name	Not Applicable			
	ICAO/IATA Class Not Applicable			
4.3. Transport hazard class(es)	ICAO / IATA Subsidiary Hazard	Not Applicable		
ciass(es)	ERG Code	Not Applicable		
4.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable			
	Special provisions	Not Applicable		
	Cargo Only Packing Instructions	Not Applicable		
	Cargo Only Maximum Qty / Pack	Not Applicable		
4.6. Special precautions for user	Passenger and Cargo Packing In	structions	Not Applicable	
101 4361	Passenger and Cargo Maximum	Qty / Pack	Not Applicable	
	Passenger and Cargo Limited Qu	Not Applicable		
	Passenger and Cargo Limited Maximum Qty / Pack		Not Applicable	

## Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable				
14.2. UN proper shipping name	Not Applicable				
14.3. Transport hazard class(es)	IMDG Class IMDG Subsidiary Ha	IMDG Class Not Applicable  IMDG Subsidiary Hazard Not Applicable			
	,				
14.4. Packing group	Not Applicable				
14.5 Environmental hazard	Not Applicable				
	EMS Number	Not Applicable			
14.6. Special precautions for user	Special provisions	Not Applicable			
101 4301	Limited Quantities	Not Applicable			

## Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable					
14.2. UN proper shipping name	Not Applicable					
14.3. Transport hazard class(es)	Not Applicable Not Applicable					
14.4. Packing group	Not Applicable					
14.5. Environmental hazard	Not Applicable					
	Classification code	Not Applicable				
	Special provisions	Not Applicable				
14.6. Special precautions for user	Limited quantity	d quantity Not Applicable				
	Equipment required	Equipment required Not Applicable				
	Fire cones number	Not Applicable				

## 14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

## 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
Celite	Not Available
dodecamethylcyclohexasiloxane	Not Available
decamethylcyclopentasiloxane	Not Available

Version No: 3.3 Page 12 of 14 Issue Date: 10/09/2024
Print Date: 19/11/2024

## AFFINIS putty soft / fast putty soft

Product name	Group
cristobalite	Not Available

## 14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
Celite	Not Available
dodecamethylcyclohexasiloxane	Not Available
decamethylcyclopentasiloxane	Not Available
cristobalite	Not Available

## **SECTION 15 Regulatory information**

## 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

### Celite is found on the following regulatory lists

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

UK Workplace Exposure Limits (WELs).

## dodecamethylcyclohexasiloxane is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

UK REACH Candidate List of substances of very high concern (SVHC) for Authorisation

### decamethylcyclopentasiloxane is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

UK REACH Candidate List of substances of very high concern (SVHC) for Authorisation

### cristobalite is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

UK Workplace Exposure Limits (WELs).

### **Additional Regulatory Information**

Not Applicable

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

## Information according to 2012/18/EU (Seveso III):

Seveso Category Not Available	Seveso Category	Not Available
-------------------------------	-----------------	---------------

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## **National Inventory Status**

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes
Canada - DSL	Yes
Canada - NDSL	No (Celite; dodecamethylcyclohexasiloxane; decamethylcyclopentasiloxane; cristobalite)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	No (Celite)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	All chemical substances in this product have been designated as TSCA Inventory 'Active'
Taiwan - TCSI	Yes
Mexico - INSQ	No (dodecamethylcyclohexasiloxane)
Vietnam - NCI	Yes

Version No: 3.3 Page 13 of 14 Issue Date: 10/09/2024

AFFINIS mutture of the first mutual of the second of the sec

## AFFINIS putty soft / fast putty soft

National Inventory	Status
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

### **SECTION 16 Other information**

Revision Date	10/09/2024
Initial Date	17/12/2021

### Full text Risk and Hazard codes

H373 May cause damage to organs through prolonged or repeated exposure.

### **SDS Version Summary**

Version	Date of Update	Sections Updated
2.3	10/09/2024	Toxicological information - Acute Health (inhaled), Toxicological information - Acute Health (skin), Toxicological information - Chronic Health, Hazards identification - Classification, Disposal considerations - Disposal, Exposure controls / personal protection - Engineering Control, Ecological Information - Environmental, Exposure controls / personal protection - Exposure Standard, Firefighting measures - Fire Fighter (fire fighting), Composition / information on ingredients - Ingredients, Exposure controls / personal protection - Personal Protection (other), Exposure controls / personal protection - Personal Protection (Respirator), Accidental release measures - Spills (major), Handling and storage - Storage (storage incompatibility)

### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

## **Definitions and abbreviations**

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ▶ ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ▶ TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ▶ ES: Exposure Standard
- OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- ▶ TLV: Threshold Limit Value
- ▶ LOD: Limit Of Detection
- ▶ OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ MARPOL: International Convention for the Prevention of Pollution from Ships
- ▶ IMSBC: International Maritime Solid Bulk Cargoes Code
- ▶ IGC: International Gas Carrier Code
- ▶ IBC: International Bulk Chemical Code
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- ▶ NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China

Page 14 of 14 Issue Date: 10/09/2024 Version No: 3.3

## AFFINIS putty soft / fast putty soft

Print Date: 19/11/2024

- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- ▶ NLP: No-Longer Polymers
- ▶ ENCS: Existing and New Chemical Substances Inventory
- ▶ KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ▶ TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- ▶ NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	Classification Procedure
, EUH210	Calculation method

Powered by AuthorITe, from Chemwatch.