

Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Revision: 08.02.2023

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
  - · Trade name: Provil Novo Medium Base, Provil Novo Medium CD2 regular Base, Provil Novo Medium CD 2 fast set Base
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
  - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
  - Classification according to Regulation (EC) No 1272/2008
    The product is not classified, according to the GB CLP regulation.

Additional information:

Since the product is a medical device in the sense of Directive 93/42/EEC (MDD) or the Regulation (EU) 2017/745 (MDR), that is intended for the end user and is used invasively or with physical contact, it is exempted from the classification and labeling obligation according to Regulation (EC) 1272/2008.

- - Labelling according to Regulation (EC) No 1272/2008 Void
    - · Hazard pictograms Void
    - · Signal word Void
    - · Hazard statements Void
  - · Additional information: see 2.1
- · 2.3 Other hazards -
  - · Results of PBT and vPvB assessment

· PB	1:
556-67-2	octamethylcyclotetrasiloxane

· vPvB:

556-67-2 octamethylcyclotetrasiloxane

#### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

· Description: -

· Dangerous components:		
CAS: 14464-46-1	Cristobalite	25-50%
EINECS: 238-878-4	STOT RE 1, H372	
CAS: 78330-21-9	Alkohole, C11-14-iso-, C13-reich, ethoxyliert	≥1-<3%
	Eye Dam. 1, H318	
CAS: 556-67-2	octamethylcyclotetrasiloxane	≥0.025-<0.25%
EINECS: 209-136-7	Flam. Liq. 3, H226	
Reg.nr.: 01-2119529238-36-xxxx		
	Aquatic Chronic 1, H410 (M=10)	
	PBT; vPvB	
		(Contd. on page 2)



Page 2/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Medium Base, Provil Novo Medium CD2 regular Base, Provil Novo Medium CD 2 fast set Base

(Contd. of page 1)

Revision: 08.02.2023

·SVHC

556-67-2 octamethylcyclotetrasiloxane

Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
  - · After inhalation Supply fresh air; consult doctor in case of symptoms.
  - After skin contact if skin irritation continues, consult a doctor.
  - · After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**No further relevant information available.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
  - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
  - · Protective equipment: Put on breathing apparatus.
  - Additional information -

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with eyes and skin.

- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

-

# SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Please observe the additional instructions in the product's instructions for use. Keep containers tightly sealed.

(Contd. on page 3)



Page 3/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

# Trade name: Provil Novo Medium Base, Provil Novo Medium CD2 regular Base, Provil Novo Medium CD 2 fast set Base

(Contd. of page 2)

Revision: 08.02.2023

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
  - · Storage
    - Requirements to be met by storerooms and containers: No special requirements.
    - Information about storage in one common storage facility: Not required.
    - · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

· DNI	ELs		
	556-67-2 octamethylcyclotetrasiloxane		
Oral	general population, long term, systemic	3.7 mg/Kg (not defined)	
Inhalative	worker industrial, long term, systemic	73 mg/m3 (not defined)	
	worker industrial, long term, local	73 mg/m3 (not defined)	
	general population, long term, systemic	13 mg/m3 (not defined)	
	general population, long term, local	13 mg/m3 (not defined)	

#### · PNECs

#### 556-67-2 octamethylcyclotetrasiloxane

freshwater 0.0015 mg/l (not defined)
marine water 0.00015 mg/l (not defined)
sewage treatment plant 10 mg/l (not defined)
sediment, dry weight, freshwater sediment, dry weight, marine water 0.3 mg/Kg (not defined)

· Additional information: The lists that were valid during the compilation were used as basis.

#### · 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
  - General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not necessary if room is well-ventilated.
- Hand protection

Check protective gloves prior to each use for their proper condition. recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)



Page 4/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Revision: 08.02.2023

# Trade name: Provil Novo Medium Base, Provil Novo Medium CD2 regular Base, Provil Novo Medium CD 2 fast set Base

(Contd. of page 3)

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Not applicable.

Butyl rubber, BR Nitrile rubber, NBR

Eye/face protection Tightly sealed safety glasses.

Body protection: Light weight protective clothing

# SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid · Colour: Yellow

Light yellow · Smell: Charácteristic Odour threshold: Not determined. Not determined

• Melting point/freezing point: · Boiling point or initial boiling point and

>300 °C boiling range

· Flammability Lower and upper explosion limit

Lower: Not determined. Upper: Not determined.

Flash point: >130 °C

Not determined. Decomposition temperature:

SADT

· pH Not determined.

Viscosity:

· Kinematic viscosity Not determined. · dynamic: Not determined.

Solubility

Water: Fully miscible

Partition coefficient n-octanol/water (log

Not determined. value) Not determined. · Steam pressure:

Density and/or relative density

Density at 20 °C 1.4-1.43 g/cm3 Relative density Not determined. Not determined. · Vapour density

· 9.2 Other information

No further relevant information available.

Appearance:

Form: Pasty

Important information on protection of health and environment, and on safety.

· Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive.

Not determined.

(Contd. on page 5)



Page 5/8

Revision: 08.02.2023

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Medium Base, Provil Novo Medium CD2 regular Base, Provil Novo Medium CD 2 fast set Base

	(Contd. of pag
· Change in condition	
· Evaporation rate	Not determined.
Information with regard to physical hazard	
classes	
· Explosives	Void
-	Void
· Flammable gases	Void
	Void
· Aerosols	Void
	Void
· Oxidising gases	Void
	Void
· Gases under pressure	Void
•	Void
· Flammable liquids	Void
·	Void
· Flammable solids	Void
	Void
· Self-reactive substances and mixtures	Void
	Void
· Pyrophoric liquids	Void
, , ,	Void
· Pyrophoric solids	Void
, ,	Void
· Self-heating substances and mixtures	Void
<b>3</b>	Void
· Substances and mixtures, which emit	
flammable gases in contact with water	Void
	Void
· Oxidising liquids	Void
3 ,	Void
· Oxidising solids	Void
<b>3</b>	Void
· Organic peroxides	Void
3	Void
· Corrosive to metals	Void
<del>-</del>	Void
· Desensitised explosives	Void
= 22 22. <b></b>	Void

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
  - Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

(Contd. on page 6)



Page 6/8

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Medium Base, Provil Novo Medium CD2 regular Base, Provil Novo Medium CD 2 fast set Base

· Additional information: -

(Contd. of page 5)

Revision: 08.02.2023

### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

· LD/	· LD/LC50 values that are relevant for classification:		
78330-21-	78330-21-9 Alkohole, C11-14-iso-, C13-reich, ethoxyliert		
Oral	LD50	7,400 mg/kg (rat)	
556-67-2	octamethy	rlcyclotetrasiloxane	
Oral	LD50	>4,800 mg/kg (rat) (OECD 401)	
Dermal	LD50	>2,375 mg/kg (rat) (OECD 402)	
Inhalative	LC50/4 h	36 mg/l (rat) (OECD 403)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endo	crine disrupting properties	
556-67-2	octamethylcyclotetrasiloxane	List II, III
540-97-6	Dodecamethylcyclohexasiloxane	List II
541-02-6	Decamethylcyclopentasiloxane	List II

### **SECTION 12: Ecological information**

· 12.1 Toxicity	<b>/</b>
· Aquatic t	oxicity:
78330-21-9	Alkohole, C11-14-iso-, C13-reich, ethoxyliert
EC50/72h	2-10 mg/l (algae)
EC50/48h	2-10 mg/l (daphnia)
LC50/96h	5.6 mg/l (fish)
556-67-2 oct	tamethylcyclotetrasiloxane
EC50/21d	>0.015 mg/L (daphnia) (EPA OTS 797.1330)
EC50/48h	>0.015 mg/l (daphnia) (EPA OTS 797.1300)
LC50/96h	>0.022 mg/l (fish) (EPA OTS 797.1400)
NOEC / 91d	≥0.0044 mg/l (fish)
NOEC / 21d	≥0.015 mg/l (daphnia) (EPA OTS 797.1330)
NOEC / 96h	<0.022 mg/l (algae) (EPA OTS 797.1050)
	≥0.022 mg/l (fish) (EPA OTS 797.1400)
NOEC / 48h	≥0.015 mg/l (daphnia) (EPA OTS 797.1300)
ErC50/ 96h	>0.022 mg/L (algae) (EPA OTS 797.1050)
	(Contd. on page 7



Page 7/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Medium Base, Provil Novo Medium CD2 regular Base, Provil Novo Medium CD 2 fast set Base

(Contd. of page 6)

Revision: 08.02.2023

#### · 12.2 Persistence and degradability

556-67-2 octamethylcyclotetrasiloxane

Biodegradation 3.7 % /29d (not defined) (OECD 310)

· 12.3 Bioaccumulative potential

556-67-2 octamethylcyclotetrasiloxane

Bloconcentration factor (BCF) 12,400 (not defined)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

556-67-2 octamethylcyclotetrasiloxane

· vPvB:

556-67-2 octamethylcyclotetrasiloxane

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- 12.7 Other adverse effects
  - Additional ecological information:
    - General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
  - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage

Disposal must be made according to official regulations.

- · Uncleaned packagings:
  - Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

#### SECTION 14: Transport information · 14.1 UN number or ID number Void ADR, IMDG, IATA · 14.2 UN proper shipping name ADR, IMDG, IATA Void · 14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA · Class Void · 14.4 Packing group Void ADR. IMDĞ. IATA (Contd. on page 8)



Page 8/8

Revision: 08.02.2023

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Medium Base, Provil Novo Medium CD2 regular Base, Provil Novo Medium CD 2 fast set Base

		(Contd. of page 7)
14.5 Environmental hazards: Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordin IMO instruments	<b>g to</b> Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

# SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Directive 2012/18/EU
    - Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

INDES. International Mantana Code to Dangerous Code
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

\* Data compared to the previous version altered.



Page 1/8

Revision: 08.02.2023

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

undertaking

Version number 6 (replaces version 5)

# SECTION 1: Identification of the substance/mixture and of the company/

#### · 1.1 Product identifier

# · Trade name: Provil Novo Medium Cat, Provil Novo Medium CD2 regular Cat., Provil Novo Medium CD 2 fast set Cat.

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
  - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
  - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
  - Classification according to Regulation (EC) No 1272/2008
    The product is not classified, according to the GB CLP regulation.

Additional information:

Since the product is a medical device in the sense of Directive 93/42/EEC (MDD) or the Regulation (EU) 2017/745 (MDR), that is intended for the end user and is used invasively or with physical contact, it is exempted from the classification and labeling obligation according to Regulation (EC) 1272/2008.

- - Labelling according to Regulation (EC) No 1272/2008 Void
    - · Hazard pictograms Void
    - · Signal word Void
    - · Hazard statements Void
  - · Additional information: see 2.1
- · 2.3 Other hazards -
  - · Results of PBT and vPvB assessment

· PB	T:
556-67-2	octamethylcyclotetrasiloxane
· <b>vP</b> 1	/B:
556-67-2	octamethylcyclotetrasiloxane

#### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

Description: -

· Dangerous components:		
CAS: 14464-46-1 EINECS: 238-878-4	Cristobalite STOT RE 1, H372	50-75%
EINECS: 209-136-7 Reg.nr.: 01-2119529238-36-xxxx	octamethylcyclotetrasiloxane Flam. Liq. 3, H226 Repr. 2, H361f Aquatic Chronic 1, H410 (M=10) PBT; vPvB	≥0.025-<0.25%



Page 2/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Medium Cat, Provil Novo Medium CD2 regular Cat., Provil Novo Medium CD 2 fast set Cat.

(Contd. of page 1)

Revision: 08.02.2023

·SVHC

556-67-2 octamethylcyclotetrasiloxane

Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
  - · After inhalation Supply fresh air; consult doctor in case of symptoms.
  - · After skin contact If skin irritation continues, consult a doctor.
  - · After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### SECTION 5: Firefighting measures

- 5.1 Extinguishing media
  - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
  - · Protective equipment: Put on breathing apparatus.
  - Additional information -

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with eyes and skin.

- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

-

# SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 3)



Page 3/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

# Trade name: Provil Novo Medium Cat, Provil Novo Medium CD2 regular Cat., Provil Novo Medium CD 2 fast set Cat.

(Contd. of page 2)

Revision: 08.02.2023

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
  - · Storage
    - · Requirements to be met by storerooms and containers: No special requirements.
    - Information about storage in one common storage facility: Not required.
    - Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

	· DNI	ELs	
55	56-67-2 d	octamethylcyclotetrasiloxane	
Oi	ral	general population, long term, systemic	3.7 mg/Kg (not defined)
Ini	halative	worker industrial, long term, systemic	73 mg/m3 (not defined)
		worker industrial, long term, local	73 mg/m3 (not defined)
		general population, long term, systemic	13 mg/m3 (not defined)
		general population, long term, local	13 mg/m3 (not defined)

# · PNECs

# 556-67-2 octamethylcyclotetrasiloxane

freshwater 0.0015 mg/l (not defined)
marine water 0.00015 mg/l (not defined)
sewage treatment plant 10 mg/l (not defined)
sediment, dry weight, freshwater sediment, dry weight, marine water 0.3 mg/Kg (not defined)

Additional information: The lists that were valid during the compilation were used as basis.

#### · 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
  - General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not necessary if room is well-ventilated.
- Hand protection

Check protective gloves prior to each use for their proper condition. recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)



Page 4/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Medium Cat, Provil Novo Medium CD2 regular Cat., Provil Novo Medium CD 2 fast set Cat.

(Contd. of page 3)

Revision: 08.02.2023

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eye/face protection Safety glasses

Body protection: Light weight protective clothing

# SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid · Colour: Light grey · Smell: Characteristic Not determined. Odour threshold: Melting point/freezing point:
Boiling point or initial boiling point and Not determined

>300 °C boiling range · Flammability Not applicable.

Lower and upper explosion limit

Lower: Not determined. · Upper: Not determined. >130 °C

· Flash point:

Decomposition temperature: Not determined.

·SADT pН

Not determined.

Viscosity:

Kinematic viscosity Not determined. dynamic: Not determined.

Solubility

Not miscible or difficult to mix Water:

· Partition coefficient n-octanol/water (log

value) Not determined. Not determined. Steam pressure:

Density and/or relative density

Density at 20 °C 1.41-1.43 g/cm<sup>3</sup> · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

No further relevant information available.

Appearance:

Form: Pasty

· Important information on protection of health and environment, and on safety.

· Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive.

Not determined.

(Contd. on page 5)



Page 5/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Revision: 08.02.2023

# Trade name: Provil Novo Medium Cat, Provil Novo Medium CD2 regular Cat., Provil Novo Medium CD 2 fast set Cat.

		Contd. of pa
· Change in condition		
· Evaporation rate	Not determined.	
Information with regard to physical hazard		
classes		
· Explosives	Void	
,	Void	
· Flammable gases	Void	
· ·	Void	
· Aerosols	Void	
	Void	
· Oxidising gases	Void	
3 3	Void	
· Gases under pressure	Void	
•	Void	
· Flammable liquids	Void Void Void Void Void Void Void Void	
4	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
	Void	
· Pyrophoric liquids	Void	
7 -1 - 1 - 1	Void	
· Pyrophoric solids	Void	
, .,	Void	
· Self-heating substances and mixtures	Void	
<b> </b>	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
3 1	Void	
· Oxidising solids	Void	
<u> </u>	Void	
· Organic peroxides		
č i	Void	
· Corrosive to metals		
	Void	
· Desensitised explosives	Void	

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
  - Conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

(Contd. on page 6)



Page 6/8

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Medium Cat, Provil Novo Medium CD2 regular Cat., Provil Novo Medium CD 2 fast set Cat.

· Additional information: -

(Contd. of page 5)

Revision: 08.02.2023

#### SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:					
556-67-2	octamethy	rlcyclotetrasiloxane			
Oral	LD50	>4800 mg/kg (rat) (OECD 401)			
Dermal	LD50	>2375 mg/kg (rat) (OECD 402)			
Inhalative	LC50/4 h	36 mg/l (rat) (OECD 403)			

- Skin corrosion/irritation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
  STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endo	rine disrupting properties	
556-67-2	octamethylcyclotetrasiloxane	List II, III
540-97-6	Dodecamethylcyclohexasiloxane	List II
541-02-6	Decamethylcyclopentasiloxane	List II

# **SECTION 12: Ecological information**

· 12.4 Mobility in soil No further relevant information available.

· 12.1 Toxicit	у
· Aquatic t	toxicity:
556-67-2 oc	tamethylcyclotetrasiloxane
EC50/21d	>0.015 mg/L (daphnia) (EPA OTS 797.1330)
EC50/48h	>0.015 mg/l (daphnia) (EPA OTS 797.1300)
LC50/96h	>0.022 mg/l (fish) (EPA OTS 797.1400)
NOEC / 91d	≥0.0044 mg/l (fish)
NOEC / 21d	≥0.015 mg/l (daphnia) (EPA OTS 797.1330)
NOEC / 96h	<0.022 mg/l (algae) (EPA OTS 797.1050)
	≥0.022 mg/l (fish) (EPA OTS 797.1400)
NOEC / 48h	≥0.015 mg/l (daphnia) (EPA OTS 797.1300)
ErC50/ 96h	>0.022 mg/L (algae) (EPA OTS 797.1050)
· 12.2 Persist	ence and degradability
	tamethylcyclotetrasiloxane
Biodegradati	on 3.7 % /29d (not defined) (OECD 310)
· 12.3 Bioacc	umulative potential
556-67-2 oc	tamethylcyclotetrasiloxane
Bloconcentra	ation factor (BCF)   12400 (not defined)

(Contd. on page 7)



Page 7/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Trade name: Provil Novo Medium Cat, Provil Novo Medium CD2 regular

Cat., Provil Novo Medium CD 2 fast set Cat.

(Contd. of page 6)

Revision: 08.02.2023

#### · 12.5 Results of PBT and vPvB assessment

· PBT:

556-67-2 octamethylcyclotetrasiloxane

· vPvB:

556-67-2 octamethylcyclotetrasiloxane

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
  - Additional ecological information:
    - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
  - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
  - · Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

14.1 UN number or ID number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: • Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.	

(Contd. on page 8)



Page 8/8

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.02.2023

Version number 6 (replaces version 5)

Revision: 08.02.2023

# Trade name: Provil Novo Medium Cat, Provil Novo Medium CD2 regular Cat., Provil Novo Medium CD 2 fast set Cat.

(Contd. of page 7)

UN "Model Regulation":

Void

#### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Directive 2012/18/EU
    - Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3 Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

\* Data compared to the previous version altered.