



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 30.07.2024

Version number 6 (replaces version 5)

Revision: 03.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· Trade name: **Signum opaque F**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture** Auxiliary for manufacture of dental prothesis

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

· **Informing department:** E-Mail: msds@kulzer-dental.com

· **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 1B H360Fd May damage fertility. Suspected of damaging the unborn child.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS07 GHS08 GHS09

· **Signal word** Danger

· **Hazard-determining components of labelling:**

Bisphenol A Diglycidylether Diacrylate (BADGE-DA)

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

propylidynetrimethanol, ethoxylated, esters with acrylic acid

methacrylic acid, monoester with propane-1,2-diol

triethylen glycol dimethacrylate

· **Hazard statements**

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H360Fd May damage fertility. Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection.

(Contd. on page 2)

GB



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.07.2024

Version number 6 (replaces version 5)

Revision: 03.07.2024

Trade name: Signum opaque F

(Contd. of page 1)

P280 Wear protective clothing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

· **Additional information:**

Restricted to professional users.

· **2.3 Other hazards -**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Product based on methacrylates

· **Dangerous components:**

CAS: 55818-57-0 NLP: 500-130-2 Reg.nr.: 01-2119490020-53-XXXX	Bisphenol A Diglycidylether Diacrylate (BADGE-DA) Aquatic Chronic 2, H411 Skin Sens. 1, H317	≥25-≤50%
CAS: 28961-43-5 NLP: 500-066-5	propylidynetrimethanol, ethoxylated, esters with acrylic acid Eye Irrit. 2, H319; Skin Sens. 1, H317 Aquatic Chronic 3, H412	≥10-≤25%
CAS: 27813-02-1 EINECS: 248-666-3 Index number: 607-125-00-5 Reg.nr.: 01-2119490226-37-xxxx	methacrylic acid, monoester with propane-1,2-diol Eye Irrit. 2, H319; Skin Sens. 1, H317	≥1-≤5%
CAS: 109-16-0 EINECS: 203-652-6 Index number: 607-134-00-4 Reg.nr.: 01-2119969287-21-xxxx	triethylen glycol dimethacrylate Skin Sens. 1B, H317	≥1-≤5%
CAS: 75980-60-8 EINECS: 278-355-8 Index number: 015-203-00-X Reg.nr.: 01-2119972295-29-xxxx	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Repr. 1B, H360Fd Aquatic Chronic 2, H411 Skin Sens. 1B, H317	>0-0.3%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

(Contd. on page 3)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.07.2024

Version number 6 (replaces version 5)

Revision: 03.07.2024

Trade name: Signum opaque F

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
 - **Protective equipment:** No special measures required.
 - **Additional information -**

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid contact with eyes and skin.
- **6.2 Environmental precautions:** Prevent material from reaching sewage system, holes and cellars.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).
- **6.4 Reference to other sections**
No dangerous materials are released.
See Section 8 for information on personal protection equipment.
-

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Keep containers tightly sealed.
 - **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and containers:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Store cool (not above 25 °C).
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
 - **Components with critical values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Not required.

(Contd. on page 4)

GB



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.07.2024

Version number 6 (replaces version 5)

Revision: 03.07.2024

Trade name: Signum opaque F

(Contd. of page 3)

· DNELs		
55818-57-0 Bisphenol A Diglycidylether Diacrylate (BADGE-DA)		
Dermal	worker industrial, long term, systemic	17.5 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	122.5 mg/m3 (not defined)
27813-02-1 methacrylic acid, monoester with propane-1,2-diol		
Oral	general population, long term, systemic	2.5 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	4.2 mg/Kg/d (not defined)
	general population, long term, systemic	2.5 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	14.7 mg/m3 (not defined)
	general population, long term, systemic	8.8 mg/m3 (not defined)
109-16-0 triethylen glycol dimethacrylate		
Oral	general population, long term, systemic	8.33 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.9 mg/Kg/d (not defined)
	general population, long term, systemic	8.33 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	48.5 mg/m3 (not defined)
	general population, long term, systemic	14.5 mg/m3 (not defined)
75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide		
Oral	general population, long term, systemic	0.0833 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	0.233 mg/Kg/d (not defined)
	general population, long term, systemic	0.0833 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	0.822 mg/m3 (not defined)
	general population, long term, systemic	0.145 mg/m3 (not defined)

· PNECs	
55818-57-0 Bisphenol A Diglycidylether Diacrylate (BADGE-DA)	
freshwater	0.1 mg/l (not defined)
marine water	0.01 mg/l (not defined)
intermediate water release	1 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	35.8 mg/Kg (not defined)
soil, dry weight	71 mg/Kg (not defined)
27813-02-1 methacrylic acid, monoester with propane-1,2-diol	
freshwater	0.904 mg/l (not defined)
marine water	0.904 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	6.28 mg/Kg (not defined)
sediment, dry weight, marine water	6.28 mg/Kg (not defined)
soil, dry weight	0.727 mg/Kg (not defined)
109-16-0 triethylen glycol dimethacrylate	
freshwater	0.016 mg/l (not defined)
marine water	0.002 mg/l (not defined)

(Contd. on page 5)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.07.2024

Version number 6 (replaces version 5)

Revision: 03.07.2024

Trade name: Signum opaque F

(Contd. of page 4)

sewage treatment plant	1.7 mg/l (not defined)
sediment, dry weight, freshwater	0.185 mg/Kg (not defined)
sediment, dry weight, marine water	0.018 mg/Kg (not defined)
soil, dry weight	0.027 mg/Kg (not defined)
75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	
freshwater	0.0014 mg/l (not defined)
marine water	0.00014 mg/l (not defined)
sediment, dry weight, freshwater	0.115 mg/Kg (not defined)
sediment, dry weight, marine water	0.0115 mg/Kg (not defined)
soil, dry weight	0.0222 mg/Kg (not defined)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Avoid contact with the eyes.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

Not necessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

· **Hand protection**

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition.

recommended

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

· **Eye/face protection** Tightly sealed safety glasses.

(Contd. on page 6)

GB



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.07.2024

Version number 6 (replaces version 5)

Revision: 03.07.2024

Trade name: Signum opaque F

· **Body protection:** Light weight protective clothing

(Contd. of page 5)

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

· **Colour:**

Fluid

Brown

Pink

White

Colourless

Ester-like

Not determined.

Not determined

· **Smell:**

· **Odour threshold:**

· **Melting point/freezing point:**

· **Boiling point or initial boiling point and boiling range**

100 °C

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

111 °C (27813-02-1 methacrylic acid, monoester with propane-1,2-diol)

Not determined.

· **Decomposition temperature:**

· **SADT**

· **pH**

Not determined.

· **Viscosity:**

· **Kinematic viscosity**

Not determined.

· **Kinematic viscosity**

· **dynamic:**

Not determined.

· **Solubility**

· **Water:**

Not miscible or difficult to mix

· **Partition coefficient n-octanol/water (log value)**

Not determined.

· **Steam pressure at 20 °C:**

40 mbar

· **Vapour pressure:**

· **Density and/or relative density**

· **Density at 20 °C**

1.360 g/cm³

· **Relative density**

Not determined.

· **Vapour density**

Not determined.

· **9.2 Other information**

No further relevant information available.

· **Appearance:**

· **Form:**

Pasty

· **Important information on protection of health and environment, and on safety.**

· **Self-inflammability:**

Product is not selfigniting.

· **Explosive properties:**

Product is not explosive.

Not determined.

(Contd. on page 7)

GB



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.07.2024

Version number 6 (replaces version 5)

Revision: 03.07.2024

Trade name: Signum opaque F

(Contd. of page 6)

· Solvent content:	
· VOC EU	g/l
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None
 - **Additional information:**
If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:		
55818-57-0 Bisphenol A Diglycidylether Diacrylate (BADGE-DA)		
Oral	LD0	>2,000 mg/kg (rat) (OECD 401)
Dermal	LD0	>2,000 mg/kg (rat) (OECD 402)

(Contd. on page 8)

GB



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.07.2024

Version number 6 (replaces version 5)

Revision: 03.07.2024

Trade name: Signum opaque F

(Contd. of page 7)

Sensitisation	sensitization	(human) (mouse) (LLNA)
28961-43-5 propylidynetrimethanol, ethoxylated, esters with acrylic acid		
Oral	LD50	>2,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>13,200 mg/kg (rabbit)
27813-02-1 methacrylic acid, monoester with propane-1,2-diol		
Oral	LD50	>2,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit)
109-16-0 triethylen glycol dimethacrylate		
Oral	LD50	8,300 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (mouse)
75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide		
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity**
May damage fertility. Suspected of damaging the unborn child.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
 - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
Repr. 1B

11.2 Information on other hazards

· Endocrine disrupting properties		
128-37-0	2,6-di-tert-butyl-p-cresol	List II

SECTION 12: Ecological information

12.1 Toxicity

· Aquatic toxicity:		
65997-17-3 Glaspulver		
EC50/72h	>1,000 mg/l (daphnia)	
LC50/96h	>1,000 mg/l (fish)	
ErC50 / 72 h	>1,000 mg/l (algae)	
NOEC / 72h	1,000 mg/l (algae)	
	1,000 mg/l (daphnia)	

(Contd. on page 9)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.07.2024

Version number 6 (replaces version 5)

Revision: 03.07.2024

Trade name: Signum opaque F

(Contd. of page 8)

55818-57-0 Bisphenol A Diglycidylether Diacrylate (BADGE-DA)

EC50/72h >110 mg/l (algae) (OECD 201)

LC50/96h >79 mg/l (fish) (OECD 203)

27813-02-1 methacrylic acid, monoester with propane-1,2-diol

EC50/72h >97.2 mg/l (algae)

EC50/48h >143 mg/l (daphnia) (OECD 202)

NOEC / 21d 45.2 mg/l (daphnia) (OECD 211)

ErC50 / 72 h >97.2 mg/l (algae) (OECD 201)

NOEC / 72h >97.2 mg/l (algae) (OECD 201)

LC50/48h 483 mg/L (fish)

109-16-0 triethylen glycol dimethacrylate

EC50/21d 51.9 mg/L (daphnia) (OECD 211)

LC50/96h 16.4 mg/l (fish) (OECD 203)

NOEC / 21d 32 mg/l (daphnia) (OECD 211)

ErC50 / 72 h >100 mg/l (algae) (OECD 201)

NOEC / 72h 18.6 mg/l (algae) (OECD 201)

EbC50 / 72h 72.8 mg/l (algae) (OECD 201)

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

EC50/48h 10,100 mg/l (algae)

3.53 mg/l (daphnia) (OECD 202)

LC50/96h 1.4 mg/l (fish) (OECD 203)

ErC50 / 72 h >2.01 mg/l (algae) (OECD 201)

ErC10/72h 1.56 mg/L (algae) (OECD 201)

12.2 Persistence and degradability

27813-02-1 methacrylic acid, monoester with propane-1,2-diol

Biodegradation 81 % /28d (not defined) (OECD 301C)

109-16-0 triethylen glycol dimethacrylate

Biodegradation 85 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Biodegradation 0-10 % /28d (not defined) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)

12.3 Bioaccumulative potential

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Bloconcentration factor (BCF) 47-55 (not defined)

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

(Contd. on page 10)

GB



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.07.2024

Version number 6 (replaces version 5)

Revision: 03.07.2024

Trade name: Signum opaque F

(Contd. of page 9)

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water bodies or sewage system.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· **Uncleaned packagings:**

· **Recommendation:**

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA**

UN3082


· **14.2 UN proper shipping name**

· **IMDG, IATA**

ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S. (Bisphenol A
Diglycidylether Diacrylate (BADGE-DA))

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class**

9 (M6) Miscellaneous dangerous substances
and articles.

· **Label**

9

(Contd. on page 11)

GB



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.07.2024

Version number 6 (replaces version 5)

Revision: 03.07.2024

Trade name: Signum opaque F

(Contd. of page 10)

· **IMDG**




· **Class**

9 Miscellaneous dangerous substances and articles.

· **Label**

9

· **IATA**



· **Class**

9 Miscellaneous dangerous substances and articles.

· **Label**

9

· **14.4 Packing group**
· **ADR, IMDG, IATA**

III

· **14.5 Environmental hazards:**

· **Marine pollutant:**

No

· **Special marking (ADR):**

Symbol (fish and tree)

· **Special marking (IATA):**

Symbol (fish and tree)

· **14.6 Special precautions for user**

Warning: Miscellaneous dangerous substances and articles.

· **Kemler Number:**

90

· **EMS Number:**

F-A,S-F

· **Stowage Category**

A

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **Transport/Additional information:**

-

· **ADR**

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **Transport category**

3

· **Tunnel restriction code**

(-)

· **IMDG**

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

(Contd. on page 12)

GB



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.07.2024

Version number 6 (replaces version 5)

Revision: 03.07.2024

Trade name: Signum opaque F

(Contd. of page 11)

Maximum net quantity per outer
packaging: 1000 ml

· **UN "Model Regulation":**

Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - **Directive 2012/18/EU**
 - **Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t**
 - **Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t**
- **15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H360Fd May damage fertility. Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Repr. 1B: Reproductive toxicity – Category 1B

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- *** Data compared to the previous version altered.**



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 29.07.2024

Version number 5 (replaces version 4)

Revision: 03.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· Trade name: **Signum liquid**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture** Auxiliary for manufacture of dental prothesis

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

· **Informing department:** E-Mail: msds@kulzer-dental.com

· **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 1B H360Fd May damage fertility. Suspected of damaging the unborn child.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labelling:**

propylidynetrimethanol, ethoxylated, esters with acrylic acid

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

1,4-butandiol dimethacrylate

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate

2-propenoic acid, 1,1'-[(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)]]ester, reaction products with diethylamine

· **Hazard statements**

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H360Fd May damage fertility. Suspected of damaging the unborn child.

H412 Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

(Contd. on page 2)

GB

**Safety data sheet**
according to 1907/2006/EC, Article 31

Printing date 29.07.2024

Version number 5 (replaces version 4)

Revision: 03.07.2024

Trade name: Signum liquid

(Contd. of page 1)

P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

Additional information:

14.8 % of the mixture consists of component(s) of unknown toxicity.

Contains 14.8 % of components with unknown hazards to the aquatic environment.

Restricted to professional users.

2.3 Other hazards -**Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Mixtures**· **Description:** Product based on methacrylates**Dangerous components:**

CAS: 28961-43-5 NLP: 500-066-5	propylidynetrimethanol, ethoxylated, esters with acrylic acid Eye Irrit. 2, H319; Skin Sens. 1, H317 Aquatic Chronic 3, H412	≥10-<25%
CAS: 2082-81-7 EINECS: 218-218-1	1,4-butandioldimethacrylate Skin Sens. 1B, H317	≥10-≤25%
CAS: 72869-86-4 EINECS: 276-957-5 Index number: 607-134-00-4 Reg.nr.: 01-2120751202-68-xxxx	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate Aquatic Chronic 2, H411 Skin Sens. 1B, H317 EUH204	≥10-<25%
CAS: 75980-60-8 EINECS: 278-355-8 Index number: 015-203-00-X Reg.nr.: 01-2119972295-29-xxxx	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Repr. 1B, H360Fd Aquatic Chronic 2, H411 Skin Sens. 1B, H317	1-<3%
CAS: 111497-86-0 EC number: 601-101-8 Reg.nr.: 01-2119961351-42-XXXX	2-propenoic acid, 1,1'-[(1-methyl-1,2-ethanediyl) bis[oxy(methyl-2,1-ethanediyl)]]ester, reaction products with diethylamine Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317 EUH208	≥1-≤5%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures**· **After inhalation** Supply fresh air; consult doctor in case of symptoms.· **After skin contact** Instantly wash with water and soap and rinse thoroughly.

(Contd. on page 3)

GB



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.07.2024

Version number 5 (replaces version 4)

Revision: 03.07.2024

Trade name: Signum liquid

(Contd. of page 2)

- **After eye contact**
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing**
*Rinse out mouth and then drink plenty of water.
In case of persistent symptoms consult doctor.*
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents**
*CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.*
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
 - **Protective equipment:** *No special measures required.*
 - **Additional information -**

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid contact with eyes and skin.
- **6.2 Environmental precautions:** *Prevent material from reaching sewage system, holes and cellars.*
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).
- **6.4 Reference to other sections**
*No dangerous materials are released.
See Section 8 for information on personal protection equipment.*
-

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** *Keep containers tightly sealed.*
 - **Information about protection against explosions and fires:** *No special measures required.*
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and containers:** *No special requirements.*
 - **Information about storage in one common storage facility:** *Not required.*
 - **Further information about storage conditions:** *Store cool (not above 25 °C).*
- **7.3 Specific end use(s)** *No further relevant information available.*

GB
(Contd. on page 4)

**Safety data sheet**
according to 1907/2006/EC, Article 31

Printing date 29.07.2024

Version number 5 (replaces version 4)

Revision: 03.07.2024

Trade name: Signum liquid

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Components with critical values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

DNELs**2082-81-7 1,4-butandiol dimethacrylate**

Oral	general population, long term, systemic	2.5 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	4.2 mg/Kg/d (not defined)
	general population, long term, systemic	2.5 mg/Kg/d (not defined)
Inhalative	worker professional, long term, systemic	14.5 mg/m ³ (not defined)
	general population, long term, systemic	4.3 mg/m ³ (not defined)

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazaheptadecane-1,16-diyl bismethacrylate

Oral	general population, long term, systemic	0.3 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	1.3 mg/Kg/d (not defined)
	general population, long term, systemic	0.7 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	3.3 mg/m ³ (not defined)
	general population, long term, systemic	0.6 mg/m ³ (not defined)

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Oral	general population, long term, systemic	0.0833 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	0.233 mg/Kg/d (not defined)
	general population, long term, systemic	0.0833 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	0.822 mg/m ³ (not defined)
	general population, long term, systemic	0.145 mg/m ³ (not defined)

PNECs**2082-81-7 1,4-butandiol dimethacrylate**

freshwater	0.043 mg/l (not defined)
marine water	0.004 mg/l (not defined)
sewage treatment plant	2 mg/l (not defined)
sediment, dry weight, freshwater	3.12 mg/Kg (not defined)
sediment, dry weight, marine water	0.312 mg/Kg (not defined)
soil, dry weight	0.573 mg/Kg (not defined)

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazaheptadecane-1,16-diyl bismethacrylate

freshwater	0.01 mg/l (not defined)
marine water	0.001 mg/l (not defined)
sewage treatment plant	3.61 mg/l (not defined)
sediment, dry weight, freshwater	4.56 mg/Kg (not defined)

(Contd. on page 5)

GB



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.07.2024

Version number 5 (replaces version 4)

Revision: 03.07.2024

Trade name: Signum liquid

(Contd. of page 4)

sediment, dry weight, marine water	0.46 mg/Kg (not defined)
soil, dry weight	0.91 mg/Kg (not defined)
75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	
freshwater	0.0014 mg/l (not defined)
marine water	0.00014 mg/l (not defined)
sediment, dry weight, freshwater	0.115 mg/Kg (not defined)
sediment, dry weight, marine water	0.0115 mg/Kg (not defined)
soil, dry weight	0.0222 mg/Kg (not defined)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Avoid contact with the eyes.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

Not necessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

· **Hand protection**

Check protective gloves prior to each use for their proper condition.
recommended

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

· **Eye/face protection** Tightly sealed safety glasses.

· **Body protection:** Light weight protective clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

· **Colour:**

Colourless

· **Smell:**

Ester-like

(Contd. on page 6)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.07.2024

Version number 5 (replaces version 4)

Revision: 03.07.2024

Trade name: Signum liquid

(Contd. of page 5)

<ul style="list-style-type: none">· Odour threshold:· Melting point/freezing point:· Boiling point or initial boiling point and boiling range· Flammability· Lower and upper explosion limit<ul style="list-style-type: none">· Lower:· Upper:· Flash point:· Auto-ignition temperature:· Decomposition temperature:· SADT· pH· Viscosity:<ul style="list-style-type: none">· Kinematic viscosity· Kinematic viscosity<ul style="list-style-type: none">· dynamic:· Solubility<ul style="list-style-type: none">· Water:· Partition coefficient n-octanol/water (log value)· Steam pressure at 20 °C:· Vapour pressure:<ul style="list-style-type: none">· Density and/or relative density<ul style="list-style-type: none">· Density at 20 °C· Relative density· Vapour density	<p>Not determined.</p> <p>Not determined</p> <p>100 °C</p> <p>Not applicable.</p> <p>Not determined.</p> <p>Not determined.</p> <p>>100 °C (72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazaheptadecane-1,16-diyl bismethacrylate)</p> <p>265.0 °C</p> <p>Not determined.</p> <p>Not determined.</p> <p>Not determined.</p> <p>Not determined.</p> <p>Not determined.</p> <p>Not miscible or difficult to mix</p> <p>Not determined.</p> <p>40 hPa</p> <p>Not determined.</p> <p>Not determined.</p> <p>Not determined.</p>
<ul style="list-style-type: none">· 9.2 Other information· Appearance:<ul style="list-style-type: none">· Form:· Important information on protection of health and environment, and on safety.<ul style="list-style-type: none">· Self-inflammability:· Explosive properties:· Solvent content:<ul style="list-style-type: none">· VOC EU· Solids content:· Change in condition<ul style="list-style-type: none">· Evaporation rate	<p>No further relevant information available.</p> <p>Fluid</p> <p>Product is not selfigniting.</p> <p>Product is not explosive.</p> <p>g/l</p> <p>10.8 %</p> <p>Not determined.</p>
<ul style="list-style-type: none">· Information with regard to physical hazard classes<ul style="list-style-type: none">· Explosives· Flammable gases· Aerosols· Oxidising gases· Gases under pressure	<p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p>

(Contd. on page 7)

GB



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.07.2024

Version number 5 (replaces version 4)

Revision: 03.07.2024

Trade name: Signum liquid

(Contd. of page 6)

· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None
 - **Additional information:**
If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

28961-43-5 propylidynetrimethanol, ethoxylated, esters with acrylic acid

Oral LD50 >2,000 mg/kg (rat) (OECD 401)

Dermal LD50 >13,200 mg/kg (rabbit)

2530-85-0 3-trimethoxysilylpropyl methacrylate

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

2082-81-7 1,4-butandiol dimethacrylate

Oral LD50 10,066 mg/kg (rat) (OECD 401)

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate

Oral LD50 >5,000 mg/kg (rat) (OECD 401)

Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

(Contd. on page 8)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.07.2024

Version number 5 (replaces version 4)

Revision: 03.07.2024

Trade name: Signum liquid

(Contd. of page 7)

68611-44-9 Silane, dichlorodimethyl-, reaction products with silica

Oral LD50 >5,000 mg/kg (rat)

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Oral LD50 >5,000 mg/kg (rat) (OECD 401)

Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

111497-86-0 2-propenoic acid, 1,1'-[(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)]] ester, reaction products with diethylamine

Oral LD50 >5,000 mg/kg (rat) (OECD 401)

Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity**
May damage fertility. Suspected of damaging the unborn child.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
 - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
Repr. 1B

· **11.2 Information on other hazards**

- **Endocrine disrupting properties**

128-37-0 2,6-di-tert-butyl-p-cresol

List II

SECTION 12: Ecological information

· **12.1 Toxicity**

- **Aquatic toxicity:**

2530-85-0 3-trimethoxysilylpropyl methacrylate

EC50/48h >100 mg/l (daphnia) (EU C2.)

LC50/96h >100 mg/l (fish) (EU C.1)

2082-81-7 1,4-butandiol dimethacrylate

EC50/21d 14.1 mg/L (daphnia) (OECD 211)

EC50/48h 32.5 mg/l (fish)

NOEC / 21d 5.09 mg/l (daphnia) (OECD 211)

ErC50 / 72 h 9.79 mg/l (algae) (OECD 201)

NOEC / 72h 2.11 mg/l (algae) (OECD 201)

NOEC / 48h 25 mg/l (fish)

(Contd. on page 9)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.07.2024

Version number 5 (replaces version 4)

Revision: 03.07.2024

Trade name: Signum liquid

(Contd. of page 8)

ErC10/72h	4.35 mg/L (algae) (OECD 201)
72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	
EC50/48h	>1.2 mg/l (daphnia) (OECD 202)
LC50/96h	10.1 mg/l (fish) (OECD 203)
ErC50 / 72 h	>0.68 mg/l (algae) (OECD 201)
NOEC / 72h	0.21 mg/l (algae) (OECD 201)
68611-44-9 Silane, dichlorodimethyl-, reaction products with silica	
LC50/96h	>10,000 mg/l (fish) (OECD 203)
ErC50 / 72 h	>10,000 mg/l (algae) (OECD 201)
EC50 / 24h	>10,000 mg/l (daphnia) (OECD 202)
75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	
EC50/48h	10,100 mg/l (algae)
	3.53 mg/l (daphnia) (OECD 202)
LC50/96h	1.4 mg/l (fish) (OECD 203)
ErC50 / 72 h	>2.01 mg/l (algae) (OECD 201)
ErC10/72h	1.56 mg/L (algae) (OECD 201)
12.2 Persistence and degradability	
2530-85-0 3-trimethoxysilylpropyl methacrylate	
Biodegradation	69 % /28d (not defined) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)
2082-81-7 1,4-butandiol dimethacrylate	
Biodegradation	84 % /28d (not defined) (OECD 310)
72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	
Biodegradation	22 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)
75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	
Biodegradation	0-10 % /28d (not defined) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)
12.3 Bioaccumulative potential	
75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	
Bloconcentration factor (BCF)	47-55 (not defined)

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

(Contd. on page 10)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.07.2024

Version number 5 (replaces version 4)

Revision: 03.07.2024

Trade name: Signum liquid

Danger to drinking water if even extremely small quantities leak into soil.

(Contd. of page 9)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· **Uncleaned packagings:**

· **Recommendation:**

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· ADR, ADN, IMDG, IATA

Void

· **14.2 UN proper shipping name**

· ADR, ADN, IMDG, IATA

Void

· **14.3 Transport hazard class(es)**

· ADR, ADN, IMDG, IATA

· Class

Void

· **14.4 Packing group**

· ADR, IMDG, IATA

Void

· **14.5 Environmental hazards:**

· **Marine pollutant:**

No

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **Transport/Additional information:**

-

· **UN "Model Regulation":**

Void

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 11)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.07.2024

Version number 5 (replaces version 4)

Revision: 03.07.2024

Trade name: Signum liquid

(Contd. of page 10)

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H360Fd May damage fertility. Suspected of damaging the unborn child.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH204 Contains isocyanates. May produce an allergic reaction.
- EUH208 Contains . **May produce an allergic reaction.**

· **Abbreviations and acronyms:**

- SADT: Self Accelerating Decomposition Temperature
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)
- DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Skin Sens. 1: Skin sensitisation – Category 1
- Skin Sens. 1B: Skin sensitisation – Category 1B
- Repr. 1B: Reproductive toxicity – Category 1B
- Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 13.02.2023

Version number 5 (replaces version 4)

Revision: 13.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· Trade name: **Signum composite ...**

· - dentine, margin, enamel, effect

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture** Veneering resin

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

· **Informing department:** E-Mail: msds@kulzer-dental.com

· **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS07 GHS09

· **Signal word** Warning

· **Hazard-determining components of labelling:**

1,12-Dodecanediol dimethacrylate

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahehexadecane-1,16-diyl bismethacrylate

triethylen glycol dimethacrylate

· **Hazard statements**

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection.

· **2.3 Other hazards -**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

GB

(Contd. on page 2)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 13.02.2023

Version number 5 (replaces version 4)

Revision: 13.02.2023

Trade name: Signum composite ...

(Contd. of page 1)

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Description:** Product based on methacrylates**Dangerous components:**

CAS: 72829-09-5 EINECS: 276-900-4	1,12-Dodecanediol dimethacrylate Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1) Skin Sens. 1B, H317	≥10-<25%
CAS: 72869-86-4 EINECS: 276-957-5 Reg.nr.: 01-2120751202-68-xxxx	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate Aquatic Chronic 2, H411 Skin Sens. 1B, H317 EUH204	≥10-<25%
CAS: 109-16-0 EINECS: 203-652-6 Reg.nr.: 01-2119969287-21-xxxx	triethylen glycol dimethacrylate Skin Sens. 1B, H317	≥1-≤5%

Additional information For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information** No special measures required.**After skin contact**Instantly wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.**After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowingRinse out mouth and then drink plenty of water.
In case of persistent symptoms consult doctor.**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents**CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.**5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

5.3 Advice for firefighters**Protective equipment:** No special measures required.**Additional information** -

GB

(Contd. on page 3)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 13.02.2023

Version number 5 (replaces version 4)

Revision: 13.02.2023

Trade name: Signum composite ...

(Contd. of page 2)

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid contact with eyes and skin.
- **6.2 Environmental precautions:** Prevent material from reaching sewage system, holes and cellars.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).
- **6.4 Reference to other sections**
No dangerous materials are released.
See Section 8 for information on personal protection equipment.
-

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
· **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage**
 - **Requirements to be met by storerooms and containers:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Store cool (not above 25 °C).
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
 - **Components with critical values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Not required.

· **DNELs****72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazaheptadecane-1,16-diyl bismethacrylate**

Oral	general population, long term, systemic	0.3 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	1.3 mg/Kg/d (not defined)
	general population, long term, systemic	0.7 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	3.3 mg/m3 (not defined)
	general population, long term, systemic	0.6 mg/m3 (not defined)

109-16-0 triethylen glycol dimethacrylate

Oral	general population, long term, systemic	8.33 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.9 mg/Kg/d (not defined)
	general population, long term, systemic	8.33 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	48.5 mg/m3 (not defined)
	general population, long term, systemic	14.5 mg/m3 (not defined)

· **PNECs****72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazaheptadecane-1,16-diyl bismethacrylate**

freshwater	0.01 mg/l (not defined)
------------	-------------------------

(Contd. on page 4)

GB



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 13.02.2023

Version number 5 (replaces version 4)

Revision: 13.02.2023

Trade name: Signum composite ...

(Contd. of page 3)

marine water	0.001 mg/l (not defined)
sewage treatment plant	3.61 mg/l (not defined)
sediment, dry weight, freshwater	4.56 mg/Kg (not defined)
sediment, dry weight, marine water	0.46 mg/Kg (not defined)
soil, dry weight	0.91 mg/Kg (not defined)

109-16-0 triethylen glycol dimethacrylate

freshwater	0.016 mg/l (not defined)
marine water	0.002 mg/l (not defined)
sewage treatment plant	1.7 mg/l (not defined)
sediment, dry weight, freshwater	0.185 mg/Kg (not defined)
sediment, dry weight, marine water	0.018 mg/Kg (not defined)
soil, dry weight	0.027 mg/Kg (not defined)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Hand protection**

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition.
recommended

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

· **Eye/face protection** Tightly sealed safety glasses.

· **Body protection:** Light weight protective clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

· **Colour:**

Fluid

Brown

White

Pink

Colourless

· **Smell:**

Odourless

(Contd. on page 5)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.02.2023

Version number 5 (replaces version 4)

Revision: 13.02.2023

Trade name: Signum composite ...

(Contd. of page 4)

<ul style="list-style-type: none"> · Odour threshold: · Melting point/freezing point: · Boiling point or initial boiling point and boiling range · Flammability · Lower and upper explosion limit <ul style="list-style-type: none"> · Lower: · Upper: · Flash point: · Decomposition temperature: · SADT · pH · Viscosity: <ul style="list-style-type: none"> · Kinematic viscosity · dynamic: · Solubility <ul style="list-style-type: none"> · Water: · Partition coefficient n-octanol/water (log value) · Steam pressure at 20 °C: · Density and/or relative density <ul style="list-style-type: none"> · Density at 20 °C · Relative density · Vapour density 	<p>Not determined.</p> <p>Not determined</p> <p>250 °C</p> <p>Not applicable.</p> <p>Not determined.</p> <p>Not determined.</p> <p>>100 °C (72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate)</p> <p>Not determined.</p> <p>Mixture is non-soluble (in water).</p> <p>Not determined.</p> <p>Not determined.</p> <p>Not miscible or difficult to mix</p> <p>Not determined.</p> <p>40 hPa</p> <p>1.450 g/cm³</p> <p>Not determined.</p> <p>Not determined.</p>
<ul style="list-style-type: none"> · 9.2 Other information · Appearance: · Form: · Important information on protection of health and environment, and on safety. <ul style="list-style-type: none"> · Self-inflammability: · Explosive properties: · Solvent content: <ul style="list-style-type: none"> · VOC EU · Change in condition <ul style="list-style-type: none"> · Evaporation rate 	<p>No further relevant information available.</p> <p>Pasty</p> <p>Product is not selfigniting.</p> <p>Product is not explosive.</p> <p>Not determined.</p> <p>g/l</p> <p>Not determined.</p>
<ul style="list-style-type: none"> · Information with regard to physical hazard classes <ul style="list-style-type: none"> · Explosives · Flammable gases · Aerosols · Oxidising gases · Gases under pressure · Flammable liquids · Flammable solids · Self-reactive substances and mixtures · Pyrophoric liquids · Pyrophoric solids · Self-heating substances and mixtures · Substances and mixtures, which emit flammable gases in contact with water 	<p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p>

(Contd. on page 6)



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 13.02.2023

Version number 5 (replaces version 4)

Revision: 13.02.2023

Trade name: Signum composite ...

(Contd. of page 5)

· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None
- **Additional information:**
If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

112945-52-5 Amorphous silica

Oral LD50 >5,000 mg/kg (rat) (OECD 401)

Dermal LD50 >5,000 mg/kg (rabbit)

72829-09-5 1,12-Dodecanediol dimethacrylate

Oral LD0 >2,000 mg/kg (rat) (OECD 423)

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahehexadecane-1,16-diyl bismethacrylate

Oral LD50 >5,000 mg/kg (rat) (OECD 401)

Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

2530-85-0 3-trimethoxysilylpropyl methacrylate

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

109-16-0 triethylen glycol dimethacrylate

Oral LD50 8,300 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (mouse)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 7)



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 13.02.2023

Version number 5 (replaces version 4)

Revision: 13.02.2023

Trade name: Signum composite ...

(Contd. of page 6)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

112945-52-5 Amorphous silica

LC50/96h >10,000 mg/l (fish) (OECD 203)

EC50 / 24h >1,000 mg/l (daphnia)

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecane-1,16-diyl bismethacrylate

EC50/48h >1.2 mg/l (daphnia) (OECD 202)

LC50/96h 10.1 mg/l (fish) (OECD 203)

ErC50 / 72 h >0.68 mg/l (algae) (OECD 201)

NOEC / 72h 0.21 mg/l (algae) (OECD 201)

2530-85-0 3-trimethoxysilylpropyl methacrylate

EC50/48h >100 mg/l (daphnia) (EU C2.)

LC50/96h >100 mg/l (fish) (EU C.1)

109-16-0 triethylen glycol dimethacrylate

EC50/21d 51.9 mg/L (daphnia) (OECD 211)

LC50/96h 16.4 mg/l (fish) (OECD 203)

NOEC / 21d 32 mg/l (daphnia) (OECD 211)

ErC50 / 72 h >100 mg/l (algae) (OECD 201)

NOEC / 72h 18.6 mg/l (algae) (OECD 201)

EbC50 / 72h 72.8 mg/l (algae) (OECD 201)

12.2 Persistence and degradability

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazaheptadecane-1,16-diyl bismethacrylate

Biodegradation 22 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

2530-85-0 3-trimethoxysilylpropyl methacrylate

Biodegradation 69 % /28d (not defined) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)

109-16-0 triethylen glycol dimethacrylate

Biodegradation 85 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects No further relevant information available.

GB

(Contd. on page 8)



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 13.02.2023

Version number 5 (replaces version 4)

Revision: 13.02.2023

Trade name: Signum composite ...

(Contd. of page 7)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· **Uncleaned packagings:**

· **Recommendation:**

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA**

UN3082

· **14.2 UN proper shipping name**

· **ADR**

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,12-Dodecanediol dimethacrylate, 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate)

· **IMDG**


ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,12-Dodecanediol dimethacrylate, 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate), MARINE POLLUTANT

· **IATA**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,12-Dodecanediol dimethacrylate, 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diyl bismethacrylate)

· **14.3 Transport hazard class(es)**

· **ADR**




· **Class**

9 (M6) Miscellaneous dangerous substances and articles.

· **Label**

9

· **IMDG, IATA**



· **Class**

9 Miscellaneous dangerous substances and articles.

(Contd. on page 9)

**Safety data sheet**
according to 1907/2006/EC, Article 31

Printing date 13.02.2023

Version number 5 (replaces version 4)

Revision: 13.02.2023

Trade name: Signum composite ...

(Contd. of page 8)

· Label	9
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR): · Special marking (IATA):	No Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user · Kemler Number: · EMS Number: · Stowage Category	Warning: Miscellaneous dangerous substances and articles. 90 F-A, S-F A
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	-
· ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 (-)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,12-DODECANEDIOL DIMETHACRYLATE, 7,7,9(OR 7,9,9)-TRIMETHYL-4,13-DIOXO-3,14-DIOXA-5,12-DIAZAHXADECANE-1,16-DIYL BISMETHACRYLATE), 9, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 10)



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 13.02.2023

Version number 5 (replaces version 4)

Revision: 13.02.2023

Trade name: Signum composite ...

(Contd. of page 9)

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H317 May cause an allergic skin reaction.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH204 Contains isocyanates. May produce an allergic reaction.

Abbreviations and acronyms:

- SADT: Self Accelerating Decomposition Temperature
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)
- DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Skin Sens. 1: Skin sensitisation – Category 1
- Skin Sens. 1B: Skin sensitisation – Category 1B
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

*** Data compared to the previous version altered.**

GB