

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

| Product name | : Incidin OxyFoam S |
|---------------------------------|------------------------|
| Product code | : 116307E |
| Use of the Substance/Mixture | : Surface Disinfectant |
| Substance type: | : Mixture |

For professional users only.

| Product dilution information : No dilution information provided. |
|--|
|--|

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Identified uses | : | Surface disinfectant - Manual process, without PPE |
|---------------------------------|---|--|
| Recommended restrictions on use | : | Reserved for industrial and professional use. |

1.3 Details of the supplier of the safety data sheet

| Company : | Ecolab Ltd. PO Box 11; Winnington Avenue Northwich, Cheshire, United Kingdom CW8 4DX + 44 (0)1606 74488 ccs@ecolab.com |
|-----------|--|
|-----------|--|

1.4 Emergency telephone number

| Emergency telephone number | : | +441618841235 +32-(0)3-575-5555 Trans-European |
|--|---|---|
| Poison Information Centre telephone number | : | For medical professionals only: 0344 892 0111 |

Date of Compilation/Revision : 02.10.2024 Version : 1.12

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labelling:

Special labelling of certain : Safety data sheet available on request. mixtures

2.3 Other hazards

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

| Chemical NameCAS-No. EC-No. REACH No.Classification REGULATION (EC) No 1272/2008Concentration : [%]Hydrogen peroxide7722-84-1 231-765-0 01-2119485845-22Nota B Oxidizing liquids Category 1; H271 Acute toxicity Category 4; H302 Acute toxicity Category 4; H302 Acute toxicity Category 1; H314 Serious eye damage Category 1; H318 Specific target organ toxicity - single exposure Category 3; H335 Chronic aquatic toxicity Category 3; H412>= 1 - < 2.5Oxidizing liquids Category 4; H302 Acute toxicity Category 4; H302 Acute toxicity Category 4; H302 Acute toxicity Category 1; H318 Specific target organ toxicity - single exposure Category 3; H335 Chronic aquatic toxicity Category 3; H412>= 1 - < 2.5Oxidizing liquids Category 4; H302 Acute toxicity Category 4; H302 Acute toxicity Category 4; H302 Acute toxicity Category 3; H318 Specific target organ toxicity - single exposure Category 3; H335 Chronic aquatic toxicity Category 3; H412>= 1 - < 2.5Oxidizing liquids Category 1; H271 H271 >= 70 % Oxidizing liquids Category 2; H272 50 - < 70 % Skin corrosion Category 1A H314 >= 70 % Skin corrosion Category 1B H314 50 - < 70 % Skin irritation Category 2 H315 35 - < 50 % Serious eye damage Category 1 H318 8 - < 50 % Eye irritation Category 2 | | | Classification | Concentration |
|--|-------------------|------------------|---|---------------|
| REACH No.REACH No.ReactionHydrogen peroxide7722-84-1 231-765-0 01-2119485845-22Nota B Oxidizing liquids Category 1; H271 Acute toxicity Category 4; H302 Acute toxicity Category 4; H302 Acute toxicity Category 1A; H314 Serious eye damage Category 1; H318 Specific target organ toxicity - single exposure Category 3; H335 Chronic aquatic toxicity Category 1; H271 H271 >= 70 % Oxidizing liquids Category 1A H271 >= 70 % Skin corrosion Category 1A H314 >= 70 % Skin corrosion Category 1B H314 50 - < 70 % Skin corrosion Category 2 H315 35 - < 50 % | Chemical Name | CAS-No. | | Concentration |
| Hydrogen peroxide7722-84-1 231-765-0 01-2119485845-22Nota B Oxidizing liquids Category 1; H271 Acute toxicity Category 4; H302 Acute toxicity Category 4; H314 Serious eye damage Category 1; H318 Specific target organ toxicity - single exposure Category 3; H412>= 1 - < 2.5Oxidizing liquids Category 4; H302 Acute toxicity Category 4; H332 Skin corrosion Sub-category 1; H318 Specific target organ toxicity - single exposure Category 3; H412>= 1 - < 2.5 | | | REGULATION (EC) NO 1272/2008 | . [%] |
| 231-765-0 Acute toxicity Category 4; H302 01-2119485845-22 Acute toxicity Category 4; H332 Skin corrosion Sub-category 1A; H314 Serious eye damage Category 1A; H318 Specific target organ toxicity - single exposure Category 3; H335 Chronic aquatic toxicity Category 3; H412 Oxidizing liquids Category 1 M271 >= 70 % Oxidizing liquids Category 1A M272 50 - < 70 % | | | | 1 0 5 |
| 01-2119485845-22 Acute toxicity Category 4; H332 Skin corrosion Sub-category 1A; H314 Serious eye damage Category 1; H318 Specific target organ toxicity - single exposure Category 3; H335 Chronic aquatic toxicity Category 3; H412 Oxidizing liquids Category 1 H271 >= 70 % Oxidizing liquids Category 2 H272 50 - < 70 % Skin corrosion Category 1A H314 >= 70 % Skin corrosion Category 1B H314 50 - < 70 % Skin irritation Category 2 H315 35 - < 50 % Serious eye damage Category 1 H318 8 - < 50 % | Hydrogen peroxide | | | >= 1 - < 2.5 |
| Skin corrosion Sub-category 1A; H314 Serious eye damage Category 1; H318 Specific target organ toxicity - single exposure Category 3; H335 Chronic aquatic toxicity Category 3; H412 Oxidizing liquids Category 1 H271 >= 70 % Oxidizing liquids Category 2 H272 50 - < 70 % | | | | |
| Serious eye damage Category 1; H318 Specific target organ toxicity - single exposure Category 3; H335 Chronic aquatic toxicity Category 3; H412 Oxidizing liquids Category 1 H271 >= 70 % Oxidizing liquids Category 2 H272 50 - < 70 % Skin corrosion Category 1A H314 >= 70 % Skin corrosion Category 1B H314 50 - < 70 % Skin irritation Category 2 H315 35 - < 50 % Serious eye damage Category 1 H318 8 - < 50 % | | 01-2119485845-22 | | |
| Specific target organ toxicity - single exposure Category 3; H335 Chronic aquatic toxicity Category 3; H412 Oxidizing liquids Category 1 H271 >= 70 % Oxidizing liquids Category 2 H272 50 - < 70 % | | | | |
| exposure Category 3; H335 Chronic aquatic toxicity Category 3; H412 Oxidizing liquids Category 1 H271 >= 70 % Oxidizing liquids Category 2 H272 50 - < 70 % Skin corrosion Category 1A H314 >= 70 % Skin corrosion Category 1B H314 50 - < 70 % Skin irritation Category 2 H315 35 - < 50 % Serious eye damage Category 1 H318 8 - < 50 % | | | | |
| Chronic aquatic toxicity Category 3; H412 Oxidizing liquids Category 1 H271 >= 70 % Oxidizing liquids Category 2 H272 50 - < 70 % Skin corrosion Category 1A H314 >= 70 % Skin corrosion Category 1B H314 50 - < 70 % Skin irritation Category 2 H315 35 - < 50 % Serious eye damage Category 1 H318 8 - < 50 % | | | Specific target organ toxicity - single | |
| Oxidizing liquids Category 1 H271 >= 70 % Oxidizing liquids Category 2 H272 50 - < 70 % Skin corrosion Category 1A H314 >= 70 % Skin corrosion Category 1B H314 50 - < 70 % Skin irritation Category 2 H315 35 - < 50 % Serious eye damage Category 1 H318 8 - < 50 % | | | exposure Category 3; H335 | |
| $H271 \ge 70 \%$ $Oxidizing liquids Category 2$ $H272 50 - <70 \%$ $Skin corrosion Category 1A$ $H314 \ge 70 \%$ $Skin corrosion Category 1B$ $H314 50 - <70 \%$ $Skin irritation Category 2$ $H315 35 - <50 \%$ $Serious eye damage Category 1$ $H318 8 - <50 \%$ | | | Chronic aquatic toxicity Category 3; H412 | |
| $H271 \ge 70 \%$ $Oxidizing liquids Category 2$ $H272 50 - <70 \%$ $Skin corrosion Category 1A$ $H314 \ge 70 \%$ $Skin corrosion Category 1B$ $H314 50 - <70 \%$ $Skin irritation Category 2$ $H315 35 - <50 \%$ $Serious eye damage Category 1$ $H318 8 - <50 \%$ | | | | |
| $H271 \ge 70 \%$ $Oxidizing liquids Category 2$ $H272 50 - <70 \%$ $Skin corrosion Category 1A$ $H314 \ge 70 \%$ $Skin corrosion Category 1B$ $H314 50 - <70 \%$ $Skin irritation Category 2$ $H315 35 - <50 \%$ $Serious eye damage Category 1$ $H318 8 - <50 \%$ | | | Oxidizing liquids Category 1 | |
| H272 50 - <70 % Skin corrosion Category 1A H314 >= 70 % Skin corrosion Category 1B H314 50 - <70 % Skin irritation Category 2 H315 35 - <50 % Serious eye damage Category 1 H318 8 - <50 % | | | 0 i 0 j | |
| H272 50 - <70 % Skin corrosion Category 1A H314 >= 70 % Skin corrosion Category 1B H314 50 - <70 % Skin irritation Category 2 H315 35 - <50 % Serious eye damage Category 1 H318 8 - <50 % | | | Oxidizing liquids Category 2 | |
| Skin corrosion Category 1A H314 >= 70 % Skin corrosion Category 1B H314 50 - < 70 % Skin irritation Category 2 H315 35 - < 50 % Serious eye damage Category 1 H318 8 - < 50 % | | | | |
| H314 >= 70 % Skin corrosion Category 1B H314 50 - < 70 % Skin irritation Category 2 H315 35 - < 50 % Serious eye damage Category 1 H318 8 - < 50 % | | | | |
| Skin corrosion Category 1B H314 50 - < 70 % Skin irritation Category 2 H315 35 - < 50 % Serious eye damage Category 1 H318 8 - < 50 % | | | | |
| H314 50 - < 70 % Skin irritation Category 2 H315 35 - < 50 % Serious eye damage Category 1 H318 8 - < 50 % | | | | |
| Skin irritation Category 2 H315 35 - < 50 % Serious eye damage Category 1 H318 8 - < 50 % | | | | |
| H315 35 - < 50 % Serious eye damage Category 1 H318 8 - < 50 % | | | | |
| Serious eye damage Category 1 H318 8 - < 50 % | | | | |
| H318 8 - < 50 % | | | | |
| | | | | |
| EVE IIII AIIOU GAIEOOIV Z | | | | |
| H319 5 - < 8 % | | | | |
| | | | | |
| Specific target organ toxicity - single | | | | |
| exposure Category 3 | | | | |
| H335 >= 35 % | | | H335 >= 35 % | |
| | | 70 / / / | | |
| Glycolic acid79-14-1Acute toxicity Category 4; H332>= 1 - < 3 | Glycolic acid | | | >= 1 - < 3 |
| 201-180-5 Skin corrosion Sub-category 1B; H314 | | | | |
| 01-2119485579-17 Serious eye damage Category 1; H318 | | 01-2119485579-17 | Serious eye damage Category 1; H318 | |
| | | | | |
| Serious eye damage/eye irritation | | | | |
| Category 2 | | | | |
| > 8 - 25 % | | | | |
| Skin corrosion/irritation Category 1B | | | | |
| 60 - 100 % | | | | |
| Skin corrosion/irritation Category 2 | | | | |
| 30 - < 60 % | | | | |
| Serious eye damage/eye irritation | | | Serious eye damage/eye irritation | |
| Category 1 | | | Category 1 | |

| | | > 25 - 100 % | | |
|--|-----------------------------|--|--------------|--|
| Sodium salicylate | 54-21-7 01-2119918289-28 | Acute toxicity Category 4; H302 Eye irritation Category 2; H319 Reproductive toxicity Category 2; H361 | >= 0.1 - < 1 | |
| For the full text of the H-Statements mentioned in this Section, see Section 16. | | | | |
| ection: 4. FIRST AID MEASURES | | | | |

4.1 Description of first aid measures

| In case of eye contact | : Rinse with plenty of water. |
|-------------------------|---|
| In case of skin contact | : Rinse with plenty of water. |
| If swallowed | : Rinse mouth. Get medical attention if symptoms occur. |
| If inhaled | : Get medical attention if symptoms occur. |

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

| Treatment | : No specific measures ide | entified. |
|-----------|----------------------------|-----------|
|-----------|----------------------------|-----------|

Section: 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

| | Suitable extinguishing media | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
|-----|---|----|---|
| | Unsuitable extinguishing media | : | None known. |
| 5.2 | Special hazards arising from | th | e substance or mixture |
| | Specific hazards during firefighting | : | Not flammable or combustible. |
| | Hazardous combustion products | : | Depending on combustion properties, decomposition products may include following materials: Carbon oxides |
| 5.3 | Advice for firefighters | | |
| | Special protective equipment for firefighters | : | Use personal protective equipment. |
| | Further information | : | Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

| Advice for non-emergency personnel | : | Refer to protective measures listed in sections 7 and 8. | |
|------------------------------------|---|--|--|
| Advice for emergency responders | : | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. | |
| 6.2 Environmental precautions | | | |
| Environmental precautions | : | Do not allow contact with soil, surface or ground water. | |
| | | DO NOT hermetically seal any defective containers, including drums (risk of bursting due to the decomposition of the product) | |
| | | | |

6.3 Methods and materials for containment and cleaning up

| Methods for cleaning up | : | Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. |
|-------------------------|---|---|
|-------------------------|---|---|

6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

| Advice on safe handling | : | Do not mix with bleach or other chlorinated products – will cause chlorine gas. |
|-------------------------|---|---|
| Hygiene measures | : | Wash hands before breaks and immediately after handling the product. |

7.2 Conditions for safe storage, including any incompatibilities

| areas and containers the o container the o not h | ct from frost, heat and sunlight. Store at room temperature in riginal container. Keep out of reach of children. Keep iner tightly closed. Store in suitable labeled containers. Do ermetically seal the container. Risk of overpressure and ng in the event of decomposition in closed containers and in |
|--|---|
|--|---|

Storage temperature : 5 °C to 25 °C

7.3 Specific end uses

Specific use(s) : Surface disinfectant - Manual process, without PPE

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|-------------------|-----------|----------------------------------|--------------------|----------|
| Hydrogen peroxide | 7722-84-1 | TWA | 1 ppm 1.4 mg/m3 | UKCOSSTD |
| | | STEL | 2 ppm 2.8 mg/m3 | UKCOSSTD |

| DNEL | |
|-------------------|---|
| Hydrogen peroxide | End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 1.4 mg/m3 End Use: Workers Exposure routes: Inhalation Potential health effects: Short-term - systemic Value: 3 mg/m3 |
| Glycolic acid | End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 25 mg/m3 End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 75 mg/m3 |
| | End Use: Workers Exposure routes: Inhalation Potential health effects: Acute local effects Value: 12.5 mg/m3 End Use: Workers Exposure routes: Dermal |
| | Potential health effects: Long-term systemic effects Value: 100 mg/kg bw/day End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 50 mg/m3 |
| | End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 150 mg/m3 End Use: Consumers |
| | Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 200 mg/kg bw/day End Use: Consumers Exposure routes: Oral |

| Potential health effects: Long-term systemic effects Value: 200 mg/kg bw/day |
|---|
| |

PNEC

| Glycolic acid | | Sewage treatment plant Value: 2.67 mg/l |
|---------------|--|--|
| | | |

8.2 Exposure controls

| Appropriate engineering controls | | |
|--|-----|---|
| Engineering measures | : | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
| Individual protection measure | es | |
| Hygiene measures | : | Wash hands before breaks and immediately after handling the product. |
| Eye/face protection (EN 166) | : | No special protective equipment required. |
| Hand protection (EN 374) | : | In case of skin contact it is recommended to wear gloves to avoid oxidation effect (e.g. skin whitening) |
| Skin and body protection (EN 14605) | : | No special protective equipment required. |
| Respiratory protection (EN 143, 14387) | : | None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization. |
| Environmental exposure con | tra | |

Environmental exposure controls

| General advice | | Consider the provision of containment around storage vessels. |
|----------------|---|---|
| | • | |

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| Appearance | : liquid |
|------------------------------|--|
| Colour | : clear, colourless |
| Odour | : characteristic |
| рН | : 2.01 - 2.3, 100 % |
| Flash point | : Not applicable., Does not sustain combustion. |
| Odour Threshold | : Not applicable and/or not determined for the mixture |
| Melting point/freezing point | : Not applicable and/or not determined for the mixture |
| Initial boiling point and | : 100 °C |
| | |

| boiling range | |
|--|--|
| Evaporation rate | : Not applicable and/or not determined for the mixture |
| Flammability (solid, gas) | : Not applicable and/or not determined for the mixture |
| Upper explosion limit | : Not applicable and/or not determined for the mixture |
| Lower explosion limit | : Not applicable and/or not determined for the mixture |
| Vapour pressure | : Not applicable and/or not determined for the mixture |
| Relative vapour density | : Not applicable and/or not determined for the mixture |
| Relative density | : 1.01 - 1.016 |
| Water solubility | : soluble |
| Solubility in other solvents | : Not applicable and/or not determined for the mixture |
| Partition coefficient: n- octanol/water | : Not applicable and/or not determined for the mixture |
| Auto-ignition temperature | : Not applicable and/or not determined for the mixture |
| Thermal decomposition | : Not applicable and/or not determined for the mixture |
| Viscosity, kinematic | : 0.792 mm2/s (40 °C) |
| | |
| Explosive properties | : Not applicable and/or not determined for the mixture |
| Oxidizing properties | : Yes |

9.2 Other information

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Decomposes on heating. Contamination may result in dangerous pressure increases - closed containers may rupture.

10.3 Possibility of hazardous reactions

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials: Carbon oxides

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

| Information on likely routes of exposure | : | Inhalation, Eye contact, Skin contact |
|--|---|--|
| Product | | |
| Acute oral toxicity | : | Acute toxicity estimate : > 2,000 mg/kg |
| Acute inhalation toxicity | : | 4 h Acute toxicity estimate : > 20 mg/l Test atmosphere: vapour |
| Acute dermal toxicity | : | There is no data available for this product. |
| Skin corrosion/irritation | : | There is no data available for this product. |
| Serious eye damage/eye irritation | : | There is no data available for this product. |
| Respiratory or skin sensitization | : | There is no data available for this product. |
| Carcinogenicity | : | There is no data available for this product. |
| Reproductive effects | : | There is no data available for this product. |
| Germ cell mutagenicity | : | There is no data available for this product. |
| Teratogenicity | : | There is no data available for this product. |
| STOT - single exposure | : | There is no data available for this product. |
| STOT - repeated exposure | : | There is no data available for this product. |
| Aspiration toxicity | : | There is no data available for this product. |
| Components | | |
| Acute oral toxicity | : | Hydrogen peroxide LD50 rat: 486 mg/kg |
| | | Glycolic acid LD50 rat: 2,040 mg/kg |
| | | Sodium salicylate LD50 rat: 500 mg/kg |
| Components | | |
| Acute inhalation toxicity | : | Glycolic acid LC50 rat: 3.6 mg/l |
| Potential Health Effects | | |
| Eyes | : | Health injuries are not known or expected under normal use. |
| Skin | : | Health injuries are not known or expected under normal use. |
| Ingestion | : | Health injuries are not known or expected under normal use. |
| Inhalation | : | Health injuries are not known or expected under normal use. |
| 6307E | | 8/13 |

| Chronic Exposure | : Health injuries are not known or expected under normal use. |
|----------------------------|---|
| Experience with human expo | osure |
| Eye contact | : No symptoms known or expected. |
| Skin contact | : No symptoms known or expected. |
| Ingestion | : No symptoms known or expected. |
| Inhalation | : No symptoms known or expected. |

Section: 12. ECOLOGICAL INFORMATION

12.1 Toxicity

| Environmental Effects | : | This product has no known ecotoxicological effects. |
|---|-----|--|
| Product | | |
| Toxicity to fish | : | no data available |
| Toxicity to daphnia and other aquatic invertebrates | : | no data available |
| Toxicity to algae | : | no data available |
| Components | | |
| Toxicity to fish | : | Hydrogen peroxide96 h LC50 Pimephales promelas (fathead minnow): 16.4 mg/l |
| | | Glycolic acid96 h LC50 Oncorhynchus mykiss (rainbow trout): > 100 mg/l |
| | | Sodium salicylate96 h LC50 Danio rerio (zebra fish): > 100 mg/l |
| Components | | |
| Toxicity to daphnia and other aquatic invertebrates | : | Glycolic acid48 h EC50 Daphnia magna (Water flea): > 100 mg/l |
| | | Sodium salicylate48 h EC50 Daphnia magna (Water flea): 1,450 mg/l |
| Components | | |
| Toxicity to algae | : | Hydrogen peroxide72 h EC50 Skeletonema costatum (marine diatom): 1.38 mg/l |
| | | Glycolic acid72 h EC50 Pseudokirchneriella subcapitata (green algae): > 100 mg/l |
| | | Sodium salicylate72 h EC50 Chlorella vulgaris (Fresh water algae): 48.29 mg/l |
| 12.2 Persistence and degradabil | ity | |

Product

| Biodegradability | : | The surfactants contained in the product are biodegradable |
|------------------|---|--|
| | | according to the requirements of the detergent regulation |

| Incidin OxyFoam S | |
|-----------------------------|---|
| | 648/2004/EC |
| Components | |
| Biodegradability | : Hydrogen peroxideResult: Not applicable - inorganic |
| | Glycolic acidResult: Readily biodegradable. |
| | Sodium salicylateResult: Readily biodegradable. |
| 12.3 Bioaccumulative potent | ial |
| no data available | |
| 12.4 Mobility in soil | |
| no data available | |
| 12.5 Results of PBT and vPv | B assessment |
| Product | |
| Assessment | : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. |
| 12.6 Other adverse effects | |
| no data available | |

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

| Product | : | Diluted product can be flushed to sanitary sewer if regulations permit. |
|-----------------------------------|---|--|
| Contaminated packaging | : | Dispose of in accordance with local, state, and federal regulations. |
| Guidance for Waste Code selection | : | Inorganic wastes containing not dangerous substances with concentration >= 0.1%. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations. |

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

| 14.1 UN number | : Not dangerous goods |
|------------------------------|-----------------------|
| 14.2 UN proper shipping | : Not dangerous goods |
| name | |
| 14.3 Transport hazard | : Not dangerous goods |
| class(es) | |
| 14.4 Packing group | : Not dangerous goods |
| 14.5 Environmental hazards | : Not dangerous goods |
| 14.6 Special precautions for | : Not dangerous goods |
| user | _ |

Air transport (IATA)

| 14.1 UN number | : Not dangerous goods |
|------------------------------|-----------------------|
| 14.2 UN proper shipping | : Not dangerous goods |
| name | |
| 14.3 Transport hazard | : Not dangerous goods |
| class(es) | |
| 14.4 Packing group | : Not dangerous goods |
| 14.5 Environmental hazards | : Not dangerous goods |
| 14.6 Special precautions for | : Not dangerous goods |
| user | |

Sea transport (IMDG/IMO)

| 14.1 UN number | : Not dangerous goods |
|------------------------------|-----------------------|
| 14.2 UN proper shipping | : Not dangerous goods |
| name | |
| 14.3 Transport hazard | : Not dangerous goods |
| class(es) | |
| 14.4 Packing group | : Not dangerous goods |
| 14.5 Environmental hazards | : Not dangerous goods |
| 14.6 Special precautions for | : Not dangerous goods |
| user | |
| 14.7 Transport in bulk | : Not dangerous goods |
| according to Annex II of | |
| MARPOL 73/78 and the IBC | |
| Code | |

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| according to Detergents | : | less than 5 %: Anionic surfactants, Oxygen-based bleaching |
|-------------------------|---|--|
| Regulation EC 648/2004 | | agents |
| | | Contains: Disinfectants |

Control of Explosives Precursors and Poisons Regulations 2023

This product is regulated (containing reportable or/and regulated substances) by the Control of Explosives Precursors and Poison Regulations 2023: all suspicious transactions, significant disappearances and thefts should be reported to the relevant national contact point.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-

: Not applicable.

accident hazards involving dangerous substances.

Candidate List of Substances : Not applicable. of Very High Concern for Authorisation

National Regulations

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations : The Chemicals (Hazard Information and Packaging for Supply) Regulations. The Control of Substances Hazardous to Health Regulations. Health and Safety at Work Act.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out on the product. Section: 16. OTHER INFORMATION

| Procedure used to derive the classification according to REGULATION (EC) No 1272/2008 | | | |
|---|--------------------|--|--|
| Classification | Justification | | |
| Not a hazardous substance or mixture. | Calculation method | | |

Full text of H-Statements

| H271 | May cause fire or explosion; strong oxidiser. |
|------|--|
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H361 | Suspected of damaging fertility or the unborn child. |
| H412 | Harmful to aquatic life with long lasting effects. |

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate;

NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.