

STAMMOPUR Z

Revision date: 09.11.2025

No.: 83011

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

STAMMOPUR Z

UFI: JQ00-7098-0006-41E4

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Cleaning agent. Cement remover and denture cleaner for the ultrasonic bath, concentrate.
Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

Company name: DR.H.STAMM GmbH Chemische Fabrik
Street: Heinrichstr. 3 – 4
Place: D-12207 Berlin, GERMANY
Telephone: +49 30 76880-280
E-mail: info@dr-stamm.de
Internet: www.dr-stamm.de
Responsible Department: sdb@dr-stamm.de, Tel.: +49 30 76880-258
1.4. Emergency telephone number: 24-hours-emergency: Giftnotruf Berlin: +49 30 30686700 (german, english)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

Skin Corr. 1B; H314
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Hazard components for labelling**

Phosphoric acid ... %; orthophosphoric acid
C12-C14 Fatty alcohol ethoxylate
quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides
Phosphoric acid-2 ethylhexylester

Signal word: Danger**Pictograms:****Hazard statements**

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing and eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

STAMMOPUR Z

Revision date: 09.11.2025

No.: 83011

Page 2 of 11

The mixture does not contain substances $\geq 0.1\%$ of substances that have endocrine disrupting properties according to Regulation (EC) No. 1907/2006, Article 59(1) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7664-38-2	Phosphoric acid ... %; orthophosphoric acid			<60 %
	231-633-2	015-011-00-6	01-2119485924-24	
	Skin Corr. 1B; H314			
7732-18-5	Water			20-30 %
	231-791-2			
68439-50-9	C12-C14 Fatty alcohol ethoxylate			<10,0 %
	-		*	
	Acute Tox. 4, Eye Dam. 1, Aquatic Chronic 3; H302 H318 H412			
63449-41-2	quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides			<5,0 %
	264-151-6	612-140-00-5	01-2119965180-41	
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H312 H302 H314 H318 H400 H410			
12645-31-7	Phosphoric acid-2 ethylhexylester			<2,0 %
	235-741-0		01-2119896587-13	
	Skin Corr. 1B; H314			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7664-38-2	231-633-2	Phosphoric acid ... %; orthophosphoric acid	<60 %
	Skin Corr. 1B; H314: ≥ 25 - 100 Skin Irrit. 2; H315: ≥ 10 - < 25 Eye Irrit. 2; H319: ≥ 10 - < 25		
68439-50-9	-	C12-C14 Fatty alcohol ethoxylate	<10,0 %
	oral: LD50 = <2000 mg/kg		
63449-41-2	264-151-6	quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides	<5,0 %
	dermal: ATE = 1100 mg/kg; oral: LD50 = 795 mg/kg		
12645-31-7	235-741-0	Phosphoric acid-2 ethylhexylester	<2,0 %
	oral: LD50 = 2500 mg/kg		

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % non-ionic surfactants.

Further Information

*Polymer

SECTION 4: First aid measures

4.1. Description of first aid measures

STAMMOPUR Z

Revision date: 09.11.2025

No.: 83011

Page 3 of 11

General information

Remove contaminated, saturated clothing immediately.

After inhalation

In case of inhalation of aerosols/spray mist/splash spots: Consult physician. Provide fresh air.

After contact with skin

After contact with skin, wash immediately with: Water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink large quantities of water. Do NOT induce vomiting. Consult physician.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Water. Foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Nitrogen oxides (NOx). Carbon dioxide (CO2). Phosphorus oxides.

5.3. Advice for firefighters

Special protective equipment for firefighters Use appropriate respiratory protection. In case of fire and/or explosion do not breathe fumes.

Additional information

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Keep away from unprotected people. Keep upwind. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove persons to safety.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up**Other information**

Clean contaminated articles and floor according to the environmental legislation. Treat the recovered material as prescribed in the section on waste disposal. Suitable material for taking up: Sand Universal binding agent. earth. Sawdust.

6.4. Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

STAMMOPUR Z

Revision date: 09.11.2025

No.: 83011

Page 4 of 11

7.1. Precautions for safe handling**Advice on safe handling**

It is recommended to design all work processes always so that the following is excluded: skin contact. Eye contact.

Advice on protection against fire and explosion

The product is not: Oxidizing. Flammable. Explosive.

Advice on general occupational hygiene

Do not eat, drink, smoke or sneeze at the workplace.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Store only in original container.

Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Cleaning agent.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7664-38-2	Phosphoric acid ... %; orthophosphoric acid			
Worker DNEL, long-term		inhalation	systemic	10,7 mg/m³
Worker DNEL, long-term		inhalation	local	1 mg/m³
Worker DNEL, acute		inhalation	local	2 mg/m³
12645-31-7	Phosphoric acid-2 ethylhexylester			
Consumer DNEL, long-term		oral	systemic	6,25 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	10,42 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	6,25 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	36,73 mg/m³
Consumer DNEL, acute		inhalation	systemic	10,87 mg/m³

STAMMOPUR Z

Revision date: 09.11.2025

No.: 83011

Page 5 of 11

PNEC values

CAS No	Substance	
Environmental compartment		Value
12645-31-7	Phosphoric acid-2 ethylhexylester	
Freshwater		0,049 mg/l
Marine water		0,0015 mg/l
Marine sediment		0,35 mg/kg
Micro-organisms in sewage treatment plants (STP)		15 mg/l

8.2. Exposure controls**Appropriate engineering controls**

Refer to chapter 7. No further action is necessary.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear safety goggles/face protection.

Hand protection

Suitable material:

PE (polyethylene). Layer thickness: 0,5 mm penetration time (maximum wearing period): ≥ 8 hCR (polychloroprenes, Chloroprene rubber). 0,5 mm penetration time (maximum wearing period): ≥ 8 hNBR (Nitrile rubber). 0,35 mm penetration time (maximum wearing period): ≥ 8 hButyl rubber. FKM (Fluoroelastomer (Viton)). 0,5 mm penetration time (maximum wearing period): ≥ 8 h

Breakthrough times and swelling properties of the material must be taken into consideration.

Recommended protective gloves brand: Camapren 722, Manufacturer: KCL, Or comparable articles from other companies.

Skin protection

Lab apron.

Respiratory protection

Respiratory protection not required.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	colourless - light yellow
Odour:	characteristic
Odour threshold:	not determined

Melting point/freezing point: -20 °C

Boiling point or initial boiling point and boiling range: 100 °C

Flammability: non-flammable

Lower explosion limits: not applicable

Upper explosion limits: not applicable

Flash point: No flash point up to 100 °C.

Auto-ignition temperature: not determined

Decomposition temperature: not determined

pH-Value (at 20 °C): 1,9 (1 %) DGF H-III 1

Viscosity / kinematic: not determined

Water solubility: complete miscible

(at 20 °C)

Test method

STAMMOPUR Z

Revision date: 09.11.2025

No.: 83011

Page 6 of 11

Solubility in other solvents

not determined

Dissolution rate:

not determined

Partition coefficient n-octanol/water:

not determined

Dispersion stability:

not determined

Vapour pressure:

not determined

Vapour pressure:

not determined

Density (at 20 °C):

1,41 g/cm³ DIN 12791

Bulk density:

not applicable

Relative vapour density:

not determined

Particle characteristics:

not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

not Explosive.

Sustaining combustion:

No data available

Oxidizing properties

not oxidizing.

Other safety characteristics

Evaporation rate:

not determined

Sublimation point:

not determined

Softening point:

not determined

Viscosity / dynamic:

not determined

Flow time:

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

None, in case of proper use.

10.2. Chemical stability

The product is chemically stable under normal ambient conditions.

10.3. Possibility of hazardous reactions

None, in case of proper use.

10.4. Conditions to avoid

Thermal decomposition can lead to the escape of irritating gases and vapors.

10.5. Incompatible materials

Alkalis (alkalis), concentrated. Alkali metals.

10.6. Hazardous decomposition products

None, in case of proper use.

Further information

Do not mix with other products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

STAMMOPUR Z

Revision date: 09.11.2025

No.: 83011

Page 7 of 11

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
68439-50-9	C12-C14 Fatty alcohol ethoxylate					
	oral	LD50 mg/kg	<2000	rat		Cesio-Recommendation
63449-41-2	quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides					
	oral	LD50 mg/kg	795	rat		
	dermal	ATE mg/kg	1100			
12645-31-7	Phosphoric acid-2 ethylhexylester					
	oral	LD50 mg/kg	2500	rat	MSDS	

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Irritant effect on the skin: corrosive. Irritant effect on the eye: corrosive.

Sensitising effects

Based on available data, the classification criteria are not met.
not sensitising.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

The mixture does not contain substances $\geq 0.1\%$ of substances that have endocrine disrupting properties according to Regulation (EC) No. 1907/2006, Article 59(1) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Technically correct releases of minimal concentrations to adapted biological sewage treatment facility, will not disturb the biodegradability of activated sludge.

STAMMOPUR Z

Revision date: 09.11.2025

No.: 83011

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7664-38-2	Phosphoric acid ... %; orthophosphoric acid					
	Acute fish toxicity	LC50	138 mg/l	96 h	Gambusia affinis	
	Acute algae toxicity	ErC50	>100 mg/l	72 h	Desmodesmus subspicatus	
	Acute crustacea toxicity	EC50	>100 mg/l	48 h	Gambia magna	
63449-41-2	quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides					
	Acute crustacea toxicity	EC50	0,016 mg/l	48 h	Daphnie	OECD 201
12645-31-7	Phosphoric acid-2 ethylhexylester					
	Acute fish toxicity	LC50	189-355 mg/l	96 h	Danio rerio	OECD 203A

12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
68439-50-9	C12-C14 Fatty alcohol ethoxylate			
	OECD 301F	>60 %	28	
	easily biodegradable			
63449-41-2	quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides			
	OECD 301 D Closed-Bottle-Test	>60 %		
	easily biodegradable			
12645-31-7	Phosphoric acid-2 ethylhexylester			
	OECD 301 B	>60 %		
	easy biodegradable			
	OECD 302 B	74 %	28	
	OECD 301 D	82 %	21	

12.3. Bioaccumulative potential

On the basis of existing data about disposal/decomposition and bio-accumulation potential, long term environmental damage is unlikely.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.
not applicable

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

STAMMOPUR Z

Revision date: 09.11.2025

No.: 83011

Page 9 of 11

13.1. Waste treatment methods

Disposal recommendations

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

List of Wastes Code - residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

List of Wastes Code - used product

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing hazardous substances; hazardous waste

Contaminated packaging

Completely emptied packings can be re-cycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN1805
14.2. UN proper shipping name: PHOSPHORIC ACID, SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: III
 Hazard label: 8
 Classification code: C1
 Limited quantity: 5 L
 Transport category: 3
 Hazard No: 80
 Tunnel restriction code: E

Marine transport (IMDG)

14.1. UN number or ID number: UN1805
14.2. UN proper shipping name: PHOSPHORIC ACID SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: III
 Hazard label: 8
 Marine pollutant: no
 Special Provisions: 223
 Limited quantity: 5 L
 EmS: F-A, S-B

Other applicable information (marine transport)

Excepted Quantity: E1

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN1805
14.2. UN proper shipping name: PHOSPHORIC ACID SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: III
 Hazard label: 8
 Special Provisions: A3 A803
 Limited quantity Passenger: 1 L
 IATA-packing instructions - Passenger: 852
 IATA-max. quantity - Passenger: 5 L
 IATA-packing instructions - Cargo: 856
 IATA-max. quantity - Cargo: 60 L

STAMMOPUR Z

Revision date: 09.11.2025

No.: 83011

Page 10 of 11

Other applicable information (air transport)

Excepted Quantity: E1

Passenger-LQ: Y841

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special precautionary measures are necessary.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2004/42/EC on VOC in
paints and varnishes: 0 % (0 g/l)**National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Data changed from previous versions: 1.4., 2.3., 7.3., 9.1., 9.2., 11.2., 14.5, 14.6., 14.7., 15.2.

Abbreviations and acronyms

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Eye Dam: Eye damage

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

Training instructions: Follow the instructions for use on the label.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

STAMMOPUR Z		
Revision date: 09.11.2025	No.: 83011	Page 11 of 11

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	STAMMOPUR Z	PW	20	35	8a, 9, 13	8b	0	96	

LCS: Life cycle stages
PC: Product categories
ERC: Environmental release categories
TF: Technical functions

SU: Sectors of use
PROC: Process categories
AC: Article categories

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)